



IHCeasy BPTF Ready-To-Use IHC Kit

Catalog Number: KHC1692

General Information

Sample type: FFPE tissue Cited sample type: Reactivity: Human, Mouse Cited Reactivity: Assay type: Immunohistochemistry Primary antibody type: Rabbit Polyclonal

Secondary antibody type: Polymer-HRP-Goat anti-Rabbit

Kit Component

Antigen Retrieval Buffer 100 mL	50×
Washing Buffer 100 mL × 2	20×
Blocking Buffer 5 mL	RTU
Primary Antibody 5 mL	RTU
Secondary Antibody 5 mL	RTU
Chromogen Component A 0.2 mL	RTU
Chromogen Component B 4 mL	RTU
Signal Enhancer 5 mL	RTU
Counter Staining Reagent 5 mL	RTU
Mounting Media 5 mL	RTU
Control Slide 1 slide (Optional)	FFPE
Datasheet 1 Copy	
Manual 1 Copy	

Storage Instructions

All the reagents are stored at 2-8°C. The kit is stable for 6 months from the date of receipt.


Background

Bromodomain PHD finger transcription factor (BPTF), a histone-binding component of NURF (nucleosome-remodeling factor), plays an important role in catalyzing ATP-dependent nucleosome sliding and facilitating transcription of chromatin. It has been reported that BPTF maybe a novel and potential therapeutic target in hepatocellular carcinoma. BPTF may also regulate transcription through direct binding to DNA or transcription factors.


Synonyms

BPTF, FAC1, FALZ, Fetal Alz 50 clone 1 protein, Fetal Alzheimer antigen, NURF301


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human urothelial carcinoma tissue slide using KHC1692 (BPTF IHC Kit).



Immunohistochemical analysis of paraffinembedded mouse cerebellum tissue slide using KHC1692 (BPTF IHC Kit).



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using KHC1692 (BPTF IHC Kit).



Immunohistochemical analysis of paraffinembedded mouse small intestine tissue slide using KHC1692 (BPTF IHC Kit).