

Nano-Secondary® alpaca anti-mouse IgG2a, recombinant VHH, CoraLite® Plus 488 [CTK0114]

Product code: smsG2aCL488-1

Properties

Description	Monovalent, recombinant secondary single domain antibody to mouse lgG2a: alpaca monoclonal Nanobody, Fc-specific, CoraLite® Plus 488 conjugated
Product type	Nano-Secondary® Reagent, secondary Nanobody (VHH)
Format	Alpaca single domain antibody, monovalent
Host	Alpaca-derived, recombinantly produced in bacteria
Target/Specificity	Fc-fragment of mouse lgG2a
Cross-reactivity	No cross-reactivity to goat, guinea pig, human, macaque, rabbit, rat, and sheep serum and to mouse lgG1, lgG2b, lgG2c, and lgG3
Immunogen	Purified mouse IgG2a
Clonality	Monoclonal Nanobody
Clones	CTK0114 (VHH0913)
Affinity (<i>Kd</i>)	СТК0114: <i>Кd</i> = <10 pM
Conjugate	CoraLite® Plus 488
Excitation / Emission	Excitation max: 493 nm, Emission max: 522 nm
Degree of labeling (DOL)	2 fluorophores per Nanobody
Synonyms	Alpaca single domain antibody, VHH, Nanobody, binding domain of single domain antibody, Nano-antibody
Validation	Application validated for immunofluorescence and flow cytometry. Determination of cross-reactivity, sequence, affinity, melting point, and degree of labeling (DOL).
Purity	Recombinantly expressed and purified
Form	Buffered aqueous solution
Concentration	0.5 mg/mL
Storage buffer	10 mM HEPES pH 7.0, 500 mM NaCl, 5 mM EDTA Preservative: 0.09 % sodium azide, safety datasheet (SDS): sodium azide
Storage instructions	Shipped at ambient temperature. Store at +4°C short term or -20°C long term. Stable for 1 year at -20°C.
Size	10 μL; 100 μL
RRID	AB_2935696



Nano-Secondary® alpaca anti-mouse IgG2a, recombinant VHH, CoraLite® Plus 488 [CTK0114]


Product code: smsG2aCL488-1

Applications

Immunofluorescence: recommended starting dilution 1:500 Flow cytometry: recommended starting quantity 1μ L per 1×10^{6} cells. The optimal dilution should be determined by the user. A titration range is recommended.


Tested applications

Immunofluorescence



Immunofluorescence analysis of HeLa cells. PFA-fixed HeLa cells were stained with anti-Actin and Nano-Secondary® alpaca anti-mouse IgG2a, recombinant VHH, CoraLite® Plus 488 [CTK0114] (green) and DAPI (blue). Confocal images were acquired with a 100x oil objective and post-processed. Images were recorded at the Core Facility Bioimaging at the Biomedical Center, LMU Munich.

Flow cytometry



Flow cytometry analysis of PBMCs.

1X10^6 human peripheral blood mononuclear cells (PBMCs) were stained with anti-human CD3 (clone OKT3, 65133-1-Ig) and Nano-Secondary® alpaca anti-mouse IgG2a, recombinant VHH, CoraLite® Plus 488 [CTK0114].

Only for research applications, not for diagnostic or therapeutic use.

ChromoTek is a registered trademark of ChromoTek GmbH, part of Proteintech Group. CoraLite is a registered trademark of Proteintech Group. Nanobody is a registered trademark of Ablynx, a Sanofi company. Other suppliers' products may be trademarks or registered trademarks of the corresponding supplier each. Statements on other suppliers' products are given according to our best knowledge.