For Research Use Only

Dynamitin 2 Polyclonal antibody

Catalog Number: 10030-2-AP



Basic Information

Catalog Number: 10030-2-AP

GenBank Accession Number:

Antigen affinity purification

Purification Method:

Size:

GeneID (NCBI):

Recommended Dilutions:

150ul , Concentration: 133 ug/ml by

10540

BC000718

WB: 1:500-1:1000

Nanodrop and 133 ug/ml by Bradford $\frac{}{\text{UNIPROT ID}}$: method using BSA as the standard;

Q13561

IP: 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC: 1:50-1:500

Source: Rabbit

Full Name:

dynactin 2 (p50) Calculated MW:

Isotype:

Observed MW:

50 kDa

50 kDa

Applications

Tested Applications: WB, IHC, IP, ELISA

WB: mouse brain tissue, human brain tissue

Species Specificity:

IP: mouse brain tissue.

Positive Controls:

human, mouse

IHC: human gliomas tissue, human lymphoma tissue

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Background Information

Dynamitin is a 50 kDa protein containing a calmodulin binding domain, a putative ATPase domain and MacMARCKS-binding domain. This protein is a part of the dynactin complex believed to link the dynactin complex to membrane compartments. Its functions are tightly associated with dynein motor protein, thus extend to vesicle trafficking and membrane integrity. Dynamitin was named so because its overexpression causes dynactin complex which contains 10 subunits, to disassemble. Its N terminal 58 amino acid is for MacMARCKS binding and residues 59-83 is responsible for calmodulin binding. This antibody is against the internal region (69-376aa) of full length p50 dynamitin.

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




mouse brain tissue were subjected to SDS PAGE followed by western blot with 10030-2-AP (Dynamitin 2 antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 10030-2-AP (Dynamitin 2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 10030-2-AP (Dynamitin 2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-Dynamitin (69-376 AA) (IP:10030-2-AP, 4ug; Detection:10030-2-AP 1:500) with mouse brain tissue lysate 4000ug.