For Research Use Only

RHOA Polyclonal antibody

Catalog Number: 10749-1-AP

Featured Product

155 Publications



Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** 10749-1-AP BC005976 Antigen affinity purification GenelD (NCBI): Recommended Dilutions: Size: 150ul , Concentration: 600 ug/ml by 387 WB 1:1000-1:8000 Nanodrop: IP 0.5-4.0 ug for 1.0-3.0 mg of total UNIPROT ID: protein lysate Source: P61586 IF/ICC 1:200-1:800 Rabbit Full Name: Isotype: ras homolog gene family, member A lgG Calculated MW: Immunogen Catalog Number: 22 kDa AG1141 **Observed MW:** 22 kDa Positive Controls: **Applications Tested Applications:** WB, IF/ICC, IP, ELISA WB: HeLa cells, MCF-7 cells, rat brain tissue, PC-12 **Cited Applications:** cells, HL-60 cells, mouse brain tissue, HUVEC cells, WB, IHC, IF, IP, CoIP NIH/3T3 cells, fetal human brain tissue **Species Specificity:** IP: mouse brain tissue, human, mouse, rat IF/ICC : HeLa cells, K-562 cells **Cited Species:** human, mouse, rat, pig, canine RhoA is a member of the Rho family of small GTPases, which cycle between inactive GDP-bound and active GTP-**Background Information** bound states and function as molecular switches in signal transduction cascades. Rho proteins promote reorganization of the actin cytoskeleton and regulate cell shape, attachment, and motility. Overexpression of RhoA is associated with tumor cell proliferation and metastasis. RhoA signalling is critical to many cellular processes including migration, mechanotransduction, and is often disrupted in carcinogenesis. **Notable Publications**

| Author | Pubmed ID | Journal | Application |
|------------|-----------|-------------------------|-------------|
| Lichan Mao | 36247873 | Anal Cell Pathol (Amst) | WB |
| Kai Cui | 27678468 | Asian J Androl | WB,IHC |
| Jing Wang | 26409448 | Tumour Biol | WB |

Storage


Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol, pH7.3 Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 10749-1-AP (RHOA antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




Various lysates were subjected to SDS PAGE followed by western blot with 10749-1-AP (RHOA antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



IP result of anti-RHOA (IP:10749-1-AP, 4ug; Detection:10749-1-AP 1:4000) with mouse brain tissue lysate 2100 ug.



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using RHOA antibody (10749-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2).



Immunofluorescent analysis of (4% PFA) fixed K-562 cells using RHOA antibody (10749-1-AP) at dilution of 1:200 and Coralite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).