For Research Use Only

FGF18 Polyclonal antibody

Catalog Number:11495-1-AP 1 Publications



Basic Information

Catalog Number:

11495-1-AP

150ul , Concentration: 300 µg/ml by 8817 Nanodrop and 187 μ g/ml by Bradford Full Name:

method using BSA as the standard;

Source: Rabbit Isotype:

Immunogen Catalog Number:

AG2041

GenBank Accession Number:

BC006245 GeneID (NCBI):

fibroblast growth factor 18

Calculated MW:

207 aa, 24 kDa

Purification Method: Antigen affinity purification

Recommended Dilutions: IHC 1:50-1:500

IF 1:20-1:200

Applications

Tested Applications:

IF, IHC, ELISA

Cited Applications:

IHC. WB

Species Specificity: human, mouse **Cited Species:**

mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

IHC: mouse kidney tissue, mouse embryo tissue,

mouse heart tissue

IF: HepG2 cells,

Background Information

FGF18 is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic development, cell $growth, morphogenesis, tissue\ repair, tumor\ growth, and invasion.\ It\ has\ been\ shown\ in\ vitro\ that\ this\ protein\ is\ able$ to induce neurite outgrowth in PC12 cells. Studies of the similar proteins in mouse and chick suggested that this induces the similar proteins of thprotein is a pleiotropic growth factor that stimulates proliferation in a number of tissues, most notably the liver and small intestine. Knockout studies of the similar gene in mice implied the role of this protein in regulating proliferation and differentiation of midline cerebellar structures.

Notable Publications

| Author | Pubmed ID | Journal | Application |
|--------------|-----------|-----------------|-------------|
| Jungang Zhao | 34305588 | Front Pharmacol | WB, IHC |

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 11495-1-AP (FGF18 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 11495-1-AP (FGF18 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of HepG2 cells using \$11495-1-AP (FGF18 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).