

For Research Use Only

14-3-3 Polyclonal ANTIBODY



Catalog Number: 14503-1-AP

Featured Product

5 Publications

Basic Information

Catalog Number:

14503-1-AP

Size:

150UL, Concentration: 307 µg/ml by Bradford method using BSA as the standard;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG5959

GenBank Accession Number:

BC056867

GeneID (NCBI):

10971

Full Name:

tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, theta polypeptide

Calculated MW:

28 kDa

Observed MW:

31 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:4000

IP 0.5-4.0 µg for IP and 1:500-1:1000 for WB

IHC 1:20-1:200

IF 1:20-1:200

Applications

Tested Applications:

FC, IF, IHC, IP, WB, ELISA

Cited Applications:

IHC, IP, WB

Species Specificity:

human, mouse, rat

Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HeLa cells, Jurkat cells, rat liver tissue, mouse liver tissue, mouse brain tissue, mouse heart tissue

IP: mouse lung tissue,

IHC: mouse brain tissue, human testis tissue

IF: HepG2 cells,

Background Information

14-3-3 proteins are the first phosphoserine/phosphothreonine-binding proteins to be discovered. 14-3-3 family members interact with a wide spectrum of proteins and possess diverse functions. Mammals express seven distinct 14-3-3 isoforms (gamma, epsilon, beta, zeta, sigma, theta, tau) that form multiple homo- and hetero- dimmers. 14-3-3 proteins display the highest expression levels in the brain, and have been implicated in several neurodegenerative diseases, including Alzheimer's disease and amyotrophic lateral sclerosis.

Notable Publications

Author	Pubmed ID	Journal	Application
Radia Forteza	31664880	Mol Biol Cell	IP
Anirban Kundu	31901078	J Biol Chem	WB
Rosalind Norkett	32022690	Elife	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 14503-1-AP (14-3-3 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 14503-1-AP (14-3-3 Antibody) at dilution of 1:50 (under 40x lens).




IP Result of anti-14-3-3 (IP:14503-1-AP, 5ug; Detection:14503-1-AP 1:500) with mouse lung tissue lysate 4000ug.



Immunofluorescent analysis of HepG2 cells, using YWHAQ antibody 14503-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 14503-1-AP (14-3-3 Antibody) at dilution of 1:50 (under 10x lens).



1×10^6 HeLa cells were stained with 0.2ug 14-3-3 antibody (14503-1-AP, red) and control antibody (blue). Fixed with 90% MeOH blocked with 3% BSA (30 min). Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) with dilution 1:1500.