#### For Research Use Only

# Perilipin-2 Polyclonal antibody

Catalog Number: 15294-1-AP

Featured Product

176 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number:

15294-1-AP BC005127
Size: Genel D (NCBI):

150ul , Concentration: 750 ug/ml by 123 Nanodrop; UNIPROT ID:

Source: Q99541
Rabbit Full Name:

Isotype: adipose differentiation-related

IgG protein

Immunogen Catalog Number: Calculated MW: AG7539 48 kDa

Observed MW: 45-48 kDa

**Applications** 

**Tested Applications:** 

WB, IHC, IF/ICC, ELISA Cited Applications: WB, IHC, IF, IP, ICC-IF

Species Specificity: human, mouse, rat Cited Species:

human, mouse, rat, pig, canine, monkey, zebrafish, bovine, goat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen

retrieval may be performed with citrate buffer pH 6.0

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB: 1:2000-1:16000

IHC: 1:200-1:16000 IF/ICC: 1:200-1:8000

Positive Controls:

WB: HepG2 cells, K-562 cells, mouse liver tissue, 3T3-

L1 cells, NIH/3T3 cells, rat liver tissue

IHC: human liver cancer tissue, human renal cell carcinoma tissue, human liver tissue, human colon cancer tissue, human prostate cancer tissue, mouse

liver tissue

IF/ICC: oleic acid treated HeLa cells,

## **Background Information**

ADRP (adipocyte differentiation related protein) also known as ADFP, adipophilin, or perilipin-2, is a member of PAT family which is responsible for the transportation of lipids and the formation of lipid droplets. ADRP is localized on the surface of lipid droplets in a variety of tissues and cell lines. ADRP is not detected in undifferentiated cells but increases rapidly to high levels when adipocyte precursors differentiate into adipocytes. Anti-ADRP antibody is a reliable and sensitive marker for lipid droplet. Enhanced expression of ADRP is linked to diseases with abnormal lipid storage, including hepatic steatosis, atherosclerosis and diabetes. Immunohistochemistry of ADRP may facilitate histomorphological diagnosis of these diseases. This antibody is not suitable for immunofluorescence staining of frozen sections.

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Karuna Irungbam	31570772	Lab Invest	WB,IHC,IF
Binbin Zhou	36169888	Mol Neurobiol	WB
Qi Xue Huang	36175227	J Dairy Sci	WB

Storage

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol, pH7.3  $\,$ 

Aliquoting is unnecessary for -20°C storage


\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


### **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 15294-1-AP (Perilipin-2 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 15294-1-AP (ADRP/Perilipin 2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 15294-1-AP (ADRP/Perilipin 2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed oleic acid treated HeLa cells using ADRP/Perilipin 2 antibody (15294-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).



Immunofluorescent analysis of (-20°C Ethanol) fixed oleic acid treated HeLa cells using ADRP/Perilipin-2 antibody (15294-1-AP) at dilution of 1:200 and Multi-rAb Coralite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002), CL594-phalloidin (red).