

For Research Use Only

# SIRT2 Polyclonal antibody

Catalog Number: 15345-1-AP

2 Publications



## Basic Information

Catalog Number:	15345-1-AP	GenBank Accession Number:	BC003547	Purification Method:	Antigen affinity purification
Size:	150ul , Concentration: 400 µg/ml by Nanodrop and 327 µg/ml by Bradford method using BSA as the standard;	GenID (NCBI):	22933	Recommended Dilutions:	WB 1:500-1:2000 IHC 1:20-1:200
Source:	Rabbit	UNIPROT ID:	Q8IXJ6		
Isotype:	IgG	Full Name:	sirtuin (silent mating type information regulation 2 homolog) 2 (S. cerevisiae)		
Immunogen Catalog Number:	AG7556	Calculated MW:	43 kDa		
		Observed MW:	37-45 kDa		

## Applications

Tested Applications:	WB, IHC, ELISA	Positive Controls:	
Cited Applications:	WB	WB :	human brain tissue, mouse brain tissue, rat kidney tissue
Species Specificity:	human, mouse, rat	IHC :	human heart tissue, human breast cancer tissue
Cited Species:	mouse		
<b>Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0</b>			

## Background Information

The silent information regulator(SIR2) family of genes are highly conserved from prokaryotes to eukaryotes and are involved in diverse processes, including transcriptional regulation, cell cycle progression, DNA-damage repair and aging. SIR2 contains a 323 amino acid catalytic core domain with a NAD-binding domain and a large groove which is the likely site of catalysis. SIR2 is widely expressed, highly expressed in heart, brain and skeletal muscle, while it is weakly expressed in placenta and lung. Down-regulated in many gliomas suggesting that it may act as a tumor suppressor gene in human gliomas possibly through the regulation of microtubule network. This antibody is a rabbit polyclonal antibody raised against the N-terminal 352 residues of human SIR2 protein.

## Notable Publications

Author	Pubmed ID	Journal	Application
Ming He	32032542	Cell Metab	WB
Erik Späte	38587131	Glia	

## Storage

### Storage:

Store at -20°C. Stable for one year after shipment.

### Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:  
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free  
in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data



human brain tissue were subjected to SDS PAGE followed by western blot with 15345-1-AP (SIRT2 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human heart tissue slide using 15345-1-AP (SIRT2 Antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffin-embedded human heart tissue slide using 15345-1-AP (SIRT2 Antibody) at dilution of 1:50 (under 40x lens).