For Research Use Only

Flotillin 1 Polyclonal antibody

Catalog Number:15571-1-AP

Featured Product

52 Publications


Antibodies | ELISA kits | Proteins www.ptglab.com


Basic Information	Catalog Number:	GenBank Accession Number:		Purification Method:
	15571-1-AP Size: 150ul , Concentration: 500 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG7902	UNIPROT ID: O75955 Full Name: flotillin 1 Calculated MW: 47 kDa Observed MW:		Antigen affinity purification Recommended Dilutions: WB 1:2000-1:10000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:200-1:800
		47 kDa		
Applications	Tested Applications: WB, IHC, IP, ELISA		Positive Cor	ntrols:
	Cited Applications:		WB : mouse brain tissue, U-251 cells, mouse heart tissue, rat brain tissue, rat heart tissue, U-87 MG cells	
	WB, IHC, IF, IP, CoIP		IP : mouse bi	
	Species Specificity: human, mouse, rat		stomach tissue,	
	Cited Species: human, mouse, rat Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Flotillins are membrane-associated proteins that contain two homologous isoforms, flotillin 1 (FLOT1) and flotillin 2 (FLOT2). They are highly conserved and widely expressed proteins commonly used as lipid raft markers. Flotillins are involved in various signaling pathways, cell adhesion, membrane trafficking and axonal growth.			
Notable Publications				
	Xue Zou 330	002418 N	1ol Ther	WB
	Jasjot Singh 362	266287 N	lat Commun	WB,CoIP
	Robert W Hu 331	134491 T	ransplant Direct	WB
Storage	Storage: Store at -20°C. Stable for one year aff Storage Buffer: PBS with 0.02% sodium azide and 50 Aliquoting is unnecessary for -20°C s	0% glycerol pH 7.3		
zour sizes contain 0.1% BSA				

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 15571-1-AP (Flotillin 1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. IP result of anti-Flotillin 1 (IP:15571-1-AP, 4ug; Detection:15571-1-AP 1:500) with mouse brain tissue lysate 4400ug. Immunohistochemical analysis of paraffinembedded human normal stomach slide using 15571-1-AP (Flotillin 1 antibody) at dilution of 1:400 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).