

AP1B1

Polyclonal ANTIBODY

Catalog Number: 16932-1-AP

2 Publications

Basic Information

Catalog Number:
16932-1-AP

Size:
50 µg/150 µl

Source:
Rabbit

Isotype:
IgG

Purification Method:
Antigen affinity purification

Immunogen Catalog Number:
AG10417

GenBank Accession Number:
BC046242

GeneID (NCBI):
162

Full Name:
adaptor-related protein complex 1, beta 1 subunit

Calculated MW:
919aa, 101 kDa

Observed MW:
101 kDa

Recommended Dilutions:

WB 1:500-1:2400

IP 0.5-4.0 µg for IP and 1:200-1:1000 for WB

IF 1:50-1:500

Applications

Tested Applications:
IF, IP, WB, ELISA

Cited Applications:
WB

Species Specificity:
human,mouse,rat

Cited Species:
human

Positive Controls:

WB : HEK-293 cells;

IP : HEK-293 cells;

IF : HepG2 cells;

Background Information

AP1B1 is a subunit of the adaptor complex AP-1 and is a member of the adaptin protein family. Adaptor protein (AP) complexes are cytosolic heterotetramers that mediate the sorting of membrane proteins in the secretory and endocytic pathways. AP-1 is found at the cytoplasmic face of coated vesicles located at the Golgi complex, where it mediates both the recruitment of clathrin to the membrane and the recognition of sorting signals within the cytosolic tails of transmembrane receptors.

Notable Publications

Author	Pubmed ID	Journal	Application
Arunas Kvainickas	28935632	J Cell Biol	WB
Lynn M Boyden	31630788	Am J Hum Genet	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



HEK-293 cells were subjected to SDS PAGE followed by western blot with 16932-1-AP(AP1B1 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours



IP result of anti-AP1B1(IP:16932-1-AP, 4ug; Detection:16932-1-AP 1:300) with HEK-293 cells lysate 2320 ug



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using 16932-1-AP (AP1B1 antibody) at dilution of 1:50 and Alexa Fluor 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)