

For Research Use Only

G-CSFR Polyclonal antibody

Catalog Number: 18310-1-AP

1 Publications



Basic Information

Catalog Number: 18310-1-AP	GenBank Accession Number: BC053585	Purification Method: Antigen affinity purification
Size: 150UL, Concentration: 300 µg/ml by Nanodrop and 200 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 1441	Recommended Dilutions: WB 1:500-1:2000
Source: Rabbit	Full Name: colony stimulating factor 3 receptor (granulocyte)	
Isotype: IgG	Calculated MW: 95 kDa	
	Observed MW: 85 kDa	

Applications

Tested Applications: FC, WB, ELISA	Positive Controls: WB: human placenta tissue,
Cited Applications: WB	
Species Specificity: human	
Cited Species: human	

Background Information

G-CSF-R, also named as CSF3R, CD114 and GCSFR is the receptor for colony stimulating factor 3, a cytokine that controls the production, differentiation, and function of granulocytes. It is a 130 kD to 150 kD glycoprotein single chain receptor which binds and activated by GCSF. In addition it may function in some adhesion or recognition events at the cell surface. It has been classified as a member of the hematopoietic (cytokine) receptor family, cytokine receptor class I, or the gp 130 related cytokine receptor family (although it does not apparently bind to gp 130). GCSF receptors can be found on neutrophils, myeloid leukemia cells that respond to GCSF, bone marrow cells of neutrophilic granulocyte lineage, and on placental trophoblasts. In addition, a soluble form is also expressed. Mutations in this gene are a cause of Kostmann syndrome, also known as severe congenital neutropenia.

Notable Publications

Author	Pubmed ID	Journal	Application
Yang Cheng	30779348	J Cell Physiol	WB



Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



human placenta tissue were subjected to SDS PAGE followed by western blot with 18310-1-AP (G-CSFR antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.

1×10^6 U-937 cells were stained with 0.2ug G-CSFR antibody (18310-1-AP, red) and control antibody (blue). Fixed with 4% PFA blocked with 3% BSA (30 min). Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) with dilution 1:1500.