

For Research Use Only

CD133 Polyclonal antibody

Catalog Number: 18470-1-AP

Featured Product

127 Publications



Basic Information

Catalog Number:

18470-1-AP

Size:

150UL, Concentration: 687 µg/ml by Bradford method using BSA as the standard;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG13328

GenBank Accession Number:

BC012089

GeneID (NCBI):

8842

Full Name:

prominin 1

Calculated MW:

97 kDa

Observed MW:

115 kDa-120 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

Applications

Tested Applications:

FC, WB, ELISA

Cited Applications:

FC, IF, IHC, WB

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse, rat

Positive Controls:

WB: HT-29 cells, mouse kidney tissue, mouse pancreas tissue, rat kidney tissue

Background Information

CD133, also known as PROM1 (prominin-1) or AC133, belongs to the prominin family. CD133 is a transmembrane glycoprotein with an NH₂-terminal extracellular domain, five transmembrane loops and a cytoplasmic tail. The expression of CD133 has been reported in hematopoietic stem cells, endothelial progenitor cells, neuronal and glial stem cells, suggesting the potential role of CD133 as a cell surface marker of adult stem cells. CD133 has also been reported as a marker of cancer stem cells in various human tumors.

Notable Publications

Author	Pubmed ID	Journal	Application
Yang Liu	27685621	Cell Death Dis	WB,IF
Qiu-Zhong Pan	25267273	Stem Cells	WB, IHC
Chenlong Li	31558707	Cell Death Dis	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 18470-1-AP (CD133 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



1X10⁶ HT-29 cells were stained with 0.20 ug Anti-Human CD133 (18470-1-AP) (red) or 0.20 ug isotype control antibody (blue) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) with dilution 1:1000. Cells were fixed with 90% MeOH.