### For Research Use Only

# CD9 Polyclonal antibody

Catalog Number: 20597-1-AP

**Featured Product** 

325 Publications



**Basic Information** 

Catalog Number:

20597-1-AP

IgG

GenBank Accession Number:

BC011988

GeneID (NCBI): Size:

150ul , Concentration: 600 ug/ml by Nanodrop:

UNIPROT ID:

P21926 Rabbit Full Name: Isotype: CD9 molecule

Calculated MW: Immunogen Catalog Number: 228 aa, 25 kDa AG14546

Observed MW: 23-30 kDa

Recommended Dilutions: WB: 1:2000-1:12000 IHC: 1:1000-1:4000 IF/ICC: 1:50-1:500

**Purification Method:** 

Antigen affinity purification

**Applications** 

**Tested Applications:** 

WB, IHC, IF/ICC, ELISA

Cited Applications

WB, IHC, IF, IP

Species Specificity:

human

**Cited Species:** 

human, mouse, rat, pig, rabbit, monkey, chicken,

zebrafish, goat, bat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HCT 116 cells, HeLa cells, LO2 cells

IHC: human lung cancer tissue, human breast cancer tissue, human endometrial cancer tissue, human ovary

cancer tissue

IF/ICC: MCF-7 cells.

## **Background Information**

The cell-surface molecule CD9, a member of the transmembrane-4 superfamily, interacts with the integrin family and other membrane proteins, and is postulated to participate in cell migration and adhesion. Expression of CD9 enhances membrane fusion between muscle cells and promotes viral infection in some cells (PMID:10459022). It is often used as a mesenchymal stem cell marker (PMID:18005405). The CD9 antigen appears to be a 227-amino acid molecule with four hydrophobic domains and one N-glycosylation site (PMID: 1840589). This antibody detects bands of 23-30 kDa, it may be due to the difference of glycosylations (PMID: 8701996).

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Xiaoyin Liu	36246376	Front Bioeng Biotechnol	WB
Ning Wang	34696392	Viruses	WB
Xinyan Zhou	36171212	Nat Commun	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 20597-1-AP (CD9 antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 20597-1-AP (CD9 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 20597-1-AP (CD9 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed MCF-7 cells using CD9 antibody (20597-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).