

BRCA1

Polyclonal ANTIBODY

Catalog Number: 20649-1-AP

8 Publications

Basic Information

Catalog Number: 20649-1-AP	GenBank Accession Number: NM_007294	Recommended Dilutions:
Size: 58 µg/150 µl	GeneID (NCBI): 672	
Source: Rabbit	Full Name: breast cancer 1, early onset	
Isotype: IgG	Calculated MW: 208 kDa	
Purification Method: Antigen affinity purification	Observed MW: 230-260 kDa	
Immunogen Catalog Number:		

Applications

Tested Applications: ELISA	Positive Controls:
Cited Applications: IHC, WB	
Species Specificity: human, mouse, rat	
Cited Species: human, mouse, rat	
Note: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

BRCA1, also named as RNF53, plays a central role in DNA repair by facilitating cellular response to DNA damage. It is required for appropriate cell cycle arrests after ionizing irradiation in both the S-phase and the G2 phase of the cell cycle. The BRCA1-BARD1 heterodimer coordinates a diverse range of cellular pathways such as DNA damage repair, ubiquitination and transcriptional regulation to maintain genomic stability. BRCA1 acts by mediating ubiquitin E3 ligase activity that is required for its tumor suppressor function. It is involved in transcriptional regulation of P21 in response to DNA damage. BRCA1 is required for FANCD2 targeting to sites of DNA damage. It may function as a transcriptional regulator. BRCA1 inhibits lipid synthesis by binding to inactive phosphorylated ACACA and preventing its dephosphorylation. The antibody is specific to BRCA1. BRCA1 appears to produce multiple splice variants. BRCA1 is a nuclear protein with a molecular mass of 220 kDa. The present study describes the isolation and expression of two cDNAs of BRCA1, including a splice variant designated BRCA1D672-4095. BRCA1D672-4095 is generated by exclusion of exon 11 by in-frame splicing and produces a 97 kDa protein. In contrast to BRCA1, BRCA1D672-4095 localizes to the cytoplasm.

Notable Publications

Author	Pubmed ID	Journal	Application
Suchismita Panda	30296263	PLoS Biol	WB
Dong Wang	26909613	Oncotarget	IHC
Shuliang Zhou	28628186	Oncol Rep	

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data