For Research Use Only

ACSL3 Polyclonal antibody

Catalog Number: 20710-1-AP

Featured Product

21 Publications



Purification Method:

WB: 1:2000-1:12000

IHC: 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number: 20710-1-AP

Size:

Nanodrop:

GenBank Accession Number:

NM_004457

GeneID (NCBI):

150ul, Concentration: 750 ug/ml by 2181

UNIPROT ID:

Source: 095573
Rabbit Full Name:

Isotype: acyl-CoA synthetase long-chain

IgG family member 3

Calculated MW: 80 kDa

Observed MW: 70-80 kDa

Applications

Tested Applications:

WB, IHC, ELISA

Cited Applications:

WB, IHC, IF

Species Specificity:

human, mouse

Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, LNCaP cells, HuH-7 cells

IHC: human stomach cancer tissue,

Background Information

ACSL3, also named as ACS3, FACL3 and LACS3, belongs to the ATP-dependent AMP-binding enzyme family. Acyl-CoA synthetases (ACSL) activate long-chain fatty acids for both synthesis of cellular lipids, and degradation via beta-oxidation. ACSL3 mediates hepatic lipogenesis. Preferentially uses myristate, laurate, arachidonate and eicosapentaenoate as substrates. Has mainly an anabolic role in energy metabolism. Required for the incorporation of fatty acids into phosphatidylcholine, the major phospholipid located on the surface of VLDL (very low density lipoproteins). The antibody is specific to ACSL3.

Notable Publications

Author	Pubmed ID	Journal	Application
Mahmood Hassan Dalhat	36149760	Clin Transl Med	WB
Xiangjun Cheng	33222186	J Appl Toxicol	WB
Yingmei Luo	33221320	Chem Biol Interact	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of ACSL3 antibody (20710-1-AP; 1:500; incubated at room temperature for 1.5 hours) with sh-Control and sh-ACSL3 transfected HEK-293 cells.



Various lysates were subjected to SDS PAGE followed by western blot with 20710-1-AP (ACSL3 antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.



LNCaP cells were subjected to SDS PAGE followed by western blot with 20710-1-AP (ACSL3 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 20710-1-AP (ACSL3 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).