

For Research Use Only

CD268/BAFF-R Polyclonal antibody

Catalog Number: 22582-1-AP



Basic Information

Catalog Number: 22582-1-AP	GenBank Accession Number: BC105123	Purification Method: Antigen Affinity purified
Size: 150ul, Concentration: 450 ug/ml by Nanodrop and 333 ug/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 115650	Recommended Dilutions: IHC 1:50-1:500
Source: Rabbit	UNIPROT ID: Q96RJ3	
Isotype: IgG	Full Name: tumor necrosis factor receptor superfamily, member 13C	
Immunogen Catalog Number: AG18202	Calculated MW: 184 aa, 19 kDa	

Applications

Tested Applications: IHC, ELISA	Positive Controls: IHC : human tonsillitis tissue,
Species Specificity: human	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

B-cell-activating factor receptor (BAFF-R, also known as CD268 and TNFRSF13C) is a member of the tumor necrosis factor receptor (TNFR) superfamily. It is expressed in most malignant B cells, including those in primary central nervous system lymphoma (PCNSL), and is involved in the survival and proliferation of these cells (PMID: 32528875). The interaction of BAFF with BAFF-R promotes NF- κ B activation, which plays a crucial role in B-cell maturation, survival, and costimulation of T-cell activation and proliferation (PMID: 30349534). Additionally, BAFF-R is associated with chronic kidney disease (CKD) by activating NF- κ B signaling in renal tubular epithelial cells (PMID: 38791453).

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 22582-1-AP (TNFRSF13C Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 22582-1-AP (TNFRSF13C Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).