For Research Use Only

B7-H3/CD276 Polyclonal antibody

Catalog Number:30052-1-AP 1 Publications



Basic Information

Catalog Number: 30052-1-AP

GenBank Accession Number:

NM_001024736

GeneID (NCBI):

150ul, Concentration: 700 ug/ml by 80381

, Concentration: 700 ug/ml by 80381 lrop; UNIPROT ID:

Nanodrop;

Size:

IgG

Source: Q5ZPR3
Rabbit

Rabbit Full Name:
Isotype: CD276 molecule

Calculated MW:

57 kDa

Observed MW:

95-100 kDa

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

WB

Species Specificity:

human

Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB: 1:2000-1:16000

IP: 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC: 1:200-1:800

IHC: 1:200-1:800 IF/ICC: 1:50-1:500

Applications

Positive Controls:

WB: HEK-293 cells, HeLa cells, LNCaP cells, U2OS cells

IP: HuH-7 cells,

IHC: human lung cancer tissue, human skin cancer

tissue

IF/ICC: HEK-293 cells,

Background Information

B7-H3 (CD276) is a type I transmembrane protein expressed on many tissues and cell types. B7-H3 is a 100-kDa glycoprotein that belongs to the B7 immunoregulatory family and participates in the regulation of T-cell-mediated immune response probably by functioning as both a T cell costimulator and coinhibitor (PMID: 25567370; 20696859). Overexpressed on a wide range of human solid cancers, B7-H3 has been implicated in cancer progression and metastasis and becomes an attractive target for cancer immunotherapy (PMID: 27208063).

Notable Publications

AuthorPubmed IDJournalApplicationYan Lu39735676Oncol ResWB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3 $\,$


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 30052-1-AP (B7-H3/CD276 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 30052-1-AP (B7-H3/CD276 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 30052-1-AP (B7-H3/CD276 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-B7-H3/CD276 (IP:30052-1-AP, 4ug; Detection:30052-1-AP 1:15000) with HuH-7 cells lysate 840 ug.



Immunofluorescent analysis of (-20°C Ethanol) fixed HEK-293 cells using B7-H3/CD276 antibody (30052-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).