

For Research Use Only

# VAV3 Polyclonal antibody

Catalog Number: 30291-1-AP

2 Publications



## Basic Information

Catalog Number:

30291-1-AP

Size:

150ul, Concentration: 400 ug/ml by Nanodrop;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG33022

GenBank Accession Number:

NM\_006113

GeneID (NCBI):

10451

UNIPROT ID:

Q9UKW4

Full Name:

vav 3 guanine nucleotide exchange factor

Calculated MW:

98kd

Observed MW:

98 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:2000-1:16000

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC 1:50-1:500

IF/ICC 1:50-1:500

## Applications

Tested Applications:

WB, IHC, IF/ICC, FC (Intra), IP, ELISA

Cited Applications:

WB, IF

Species Specificity:

human

Cited Species:

human

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

Positive Controls:

WB: Jurkat cells, THP-1 cells

IP: Jurkat cells,

IHC: human colon cancer tissue,

IF/ICC: Jurkat cells, HeLa cells

## Background Information

Vav3, a member of Dbl family which is also the activator of GTP kinase of Rho family, can activate the expression of RhoA, Rac1 and Cdc42 (PMID:28285969). Vav3 is associated with tumor growth, apoptosis, invasion, metastasis and angiogenesis (PMID:28285969). Vav3 is a multiple function protein with both signaling molecule and coactivator activities. Vav3 oncogene is overexpressed in androgen-independent prostate cancer cells relative to their androgen-dependent counterparts and contribute to development of hormone refractory prostate cancer (PMID:21455584).

## Notable Publications

Author	Pubmed ID	Journal	Application
Jiawei Gui	39722126	CNS Neurosci Ther	IF
Rui Ye	38956415	Nat Commun	WB

## Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 30291-1-AP (VAV3 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




IP result of anti-VAV3 (IP:30291-1-AP, 4ug; Detection:30291-1-AP 1:8000) with Jurkat cells lysate 1560 ug.




1X10<sup>6</sup> Jurkat cells were intracellularly stained with 0.4 ug Anti-Human VAV3 (30291-1-AP) and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 30291-1-AP (VAV3 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using VAV3 antibody (30291-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed Jurkat cells using VAV3 antibody (30291-1-AP) at dilution of 1:200 and Multi-rAb CoraLite® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002).