

For Research Use Only

Prohibitin Monoclonal antibody

Catalog Number: 60092-1-Ig **4 Publications**



Basic Information

Catalog Number: 60092-1-Ig	GenBank Accession Number: BC013401	Purification Method: Protein G purification
Size: 150ul , Concentration: 900 ug/ml by Nanodrop and 800 ug/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 5245	CloneNo.: 4D3G5
Source: Mouse	UNIPROT ID: P35232	Recommended Dilutions: WB 1:500-1:2000 IHC 1:50-1:500
Isotype: IgG1	Full Name: prohibitin	
Immunogen Catalog Number: AG1240	Calculated MW: 30 kDa	
	Observed MW: 30 kDa	

Applications

Tested Applications: WB, IHC, ELISA	Positive Controls:
Cited Applications: WB, IF, IP	WB : human heart tissue, HeLa cells, human placenta tissue, pig heart tissue, rat heart tissue
Species Specificity: human, rat, pig	IHC : human liver tissue, human kidney tissue, human heart tissue
Cited Species: human, mouse	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

Prohibitin, also known as PHB, a member of the Band-7 family of proteins, is widely distributed in bacteria, plants, yeast, protozoa and mammals and is important in cell proliferation, differentiation and apoptosis (PMID: 20840588). This protein localizes to the inner membrane of mitochondria, where it acts as a chaperone protein, and is also found in the nucleus, where it negatively regulates transcription (PMID: 18558096). Recent study confirmed that the expression and distribution of PHB, which is a nuclear matrix protein, affect the apoptosis of HaCaT cells and its co-localization with specific gene products connected with cell apoptosis (PMID: 24402549).

Notable Publications

Author	Pubmed ID	Journal	Application
Yating Peng	35378837	Int J Chron Obstruct Pulmon Dis	WB
Li-Li Ma	29100316	Oncotarget	IF
Zi-Jia Huang	38617530	Int J Biol Sci	WB

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol, pH7.3
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 60092-1-Ig (Prohibitin antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human liver tissue slide using 60092-1-Ig (Prohibitin antibody) at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffin-embedded human liver tissue slide using 60092-1-Ig (Prohibitin antibody) at dilution of 1:200 (under 40x lens).