

For Research Use Only

CD3 Gamma Monoclonal antibody

Catalog Number: 60347-1-Ig **3 Publications**



Basic Information

Catalog Number: 60347-1-Ig	GenBank Accession Number: BC113830	Purification Method: Protein A purification
Size: 150ul , Concentration: 1800 ug/ml by 917 Nanodrop and 1000 ug/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 917	CloneNo.: 2E9G7
Source: Mouse	UNIPROT ID: P09693	Recommended Dilutions: WB: 1:5000-1:50000
Isotype: IgG2b	Full Name: CD3g molecule, gamma (CD3-TCR complex)	
Immunogen Catalog Number: AG15502	Calculated MW: 182 aa, 20 kDa	
	Observed MW: 20-25 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : MOLT-4 cells, Jurkat cells
Cited Applications: IHC, IF	
Species Specificity: human	
Cited Species: human	

Background Information

CD3 is a complex of proteins that directly associates with the T cell receptor (TCR). The TCR/CD3 complex of T-lymphocytes consists of either a TCR alpha/beta or TCR gamma/delta heterodimer coexpressed at the cell surface with the invariant subunits of CD3 labeled gamma, delta, epsilon, zeta, and eta. The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCR-mediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction. CD3 is considered to be a pan-T cell marker for detection of normal and neoplastic T cells.

Notable Publications

Author	Pubmed ID	Journal	Application
Akira Saito	32794612	Cancer Sci	IHC
Gaku Ota	39086872	J Anus Rectum Colon	IHC
Satomi Shiba	38529589	J Breast Cancer	IF

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol, pH7.3
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 60347-1-Ig (CD3 Gamma antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.