For Research Use Only

Anti-Mouse CD8a (53-6.7)

Catalog Number:65069-1-lg 4 Publications



Basic Information

Catalog Number: 65069-1-lg

BC030679

Purification Method:

Isotype: IgG2a, kappa GeneID (NCBI):

GenBank Accession Number:

Affinity purification

Size:

12525

CloneNo.: 53-6.7

500ug , 0.5 mg/ml Source:

UNIPROT ID:

P01731 Full Name:

CD8 antigen, alpha chain

Applications

Tested Applications:

FC

Cited Applications:

FC

Species Specificity:

Mouse

Cited Species:

mouse

Background Information

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8a or as a heterodimer of CD8a and CD8β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8αβ heterodimer while CD8αα homodimers alone have been found on some gut intraepithelial T cells , on some T cell receptor (TCR) $\gamma\delta$ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).

Notable Publications

Author	Pubmed ID	Journal	Application
Huajing Wang	34090420	Malar J	FC
Wenxuan Xu	36134371	Nanoscale Adv	FC
Yuqi Yang	38291473	Cell Commun Signal	

Storage

Storage:


Store at 2-8°C. Stable for one year after shipment.

Storage Buffer:

Borate buffered saline, pH 8.2.

in USA), or 1(312) 455-8498 (outside USA)

Selected Validation Data



1X10^6 C57BL/6 mouse splenocytes were surface stained with CoraLite® Plus 647 Anti-Mouse CD3 (17A2) and 0.5 ug Anti-Mouse CD8a (65069-1-lg, Clone:53-6.7) or 0.5 ug Rat lgG2a Isotype Control (2A3) and FITC anti-rat lgG2a Antibody at dilution 1:100. Cells were not fixed.