

CD43 Monoclonal antibody

Catalog Number: 66224-1-Ig

Basic Information

Catalog Number: 66224-1-Ig	GenBank Accession Number: BC012350	Purification Method: Protein A purification
Size: 150ul , Concentration: 3300 ug/ml by Nanodrop and 2000 ug/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 6693	CloneNo.: 2A11D6
Source: Mouse	ENSEMBL Gene ID: ENSG00000197471	Recommended Dilutions: WB: 1:500-1:2000 IHC: 1:4000-1:16000 IF-P: 1:200-1:800 IF/ICC: 1:200-1:800
Isotype: IgG2b	UNIPROT ID: P16150	
Immunogen Catalog Number: AG23595	Full Name: sialophorin	
	Calculated MW: 400 aa, 43 kDa	
	Observed MW: 115 kDa	

Applications

Tested Applications: WB, IHC, IF/ICC, IF-P, ELISA	Positive Controls: WB : Jurkat cells, K-562 cells
Species Specificity: human	IHC : human tonsillitis tissue, human appendicitis tissue, human colon tissue
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	IF-P : human tonsillitis tissue, IF/ICC : Jurkat cells, human tonsillitis tissue

Background Information

CD43, also named leukosialin, sialophorin, galactoglycoprotein, leukocyte sialoglycoprotein, SPN, and is a mucin-like type I transmembrane protein. In humans, it is expressed in haematopoietic cells, including T lymphocytes, monocytes, granulocytes, natural killer cells, platelets, and haematopoietic stem cells, with the exception of mature erythrocytes and B cell subpopulations. The unglycosylated form of CD43 migrates on SDS-PAGE with a molecular weight of 54 kDa (PMID: 2943740), whereas CD43 from different haematopoietic cell lines displays increased molecular weights since it is glycosylated with O-linked chains that differ in core structure and sialylation.

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol, pH7.3
 Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
 T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
 E: proteintech@ptglab.com
 W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Jurkat cells were subjected to SDS PAGE followed by western blot with 66224-1-Ig (CD43 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 66224-1-Ig (CD43 antibody) at dilution of 1:8000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 66224-1-Ig (CD43 antibody) at dilution of 1:8000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed Jurkat cells using 66224-1-Ig (CD43 antibody) at dilution of 1:400 and CoraLite488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 66224-1-Ig (CD43 antibody) at dilution of 1:20000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded human tonsillitis tissue using CD43 antibody (66224-1-Ig, Clone: 2A11D6) at dilution of 1:400 and CoraLite488-Conjugated Goat Anti-Mouse IgG(H+L) (SA00013-1). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).