

For Research Use Only

Sestrin 2 Monoclonal antibody



Catalog Number: 66297-1-Ig

Featured Product

6 Publications

Basic Information

Catalog Number:

66297-1-Ig

Size:

150ul , Concentration: 2000 µg/ml by Bradford method using BSA as the standard;

Source:

Mouse

Isotype:

IgG1

Immunogen Catalog Number:

AG20638

GenBank Accession Number:

BC013304

GeneID (NCBI):

83667

Full Name:

sestrin 2

Calculated MW:

54 kDa

Observed MW:

54 kDa

Purification Method:

Protein G purification

CloneNo.:

1A1A4

Recommended Dilutions:

WB 1:1000-1:4000

IHC 1:50-1:500

IF 1:50-1:500

Applications

Tested Applications:

IF, IHC, WB, ELISA

Cited Applications:

IF, IHC, IP, WB

Species Specificity:

human, pig, rat

Cited Species:

human, mouse, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : HeLa cells, HEK-293T

IHC : human colon cancer tissue,

IF : HeLa cells,

Background Information

Sestrins, including sestrin-1 (PA26), sestrin-2 (Hi95), and sestrin-3, are 48 to 65 kDa cysteine sulfinyl reductases and they modulate peroxide signaling and antioxidant defense. These proteins selectively reduce or repair hyperoxidized forms of typical 2-Cys peroxiredoxins within eukaryotes. Expression of these proteins is regulated by p53, a tumor suppressor protein. Sestrin 2 is implicated in the regulation of cell survival, in cellular responses to different stress conditions, and also acts as a positive regulator of autophagy. Sestrin 2 is approximately a 57.6kDa protein (480 amino acids).

Notable Publications

Author	Pubmed ID	Journal	Application
T Shen	27693501	Osteoarthritis Cartilage	WB, IHC
Agus Suryawan	34159368	J Nutr	WB, IP
Marko Rudar	33427053	Am J Physiol Endocrinol Metab	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of Sestrin 2 antibody (66297-1-Ig, 1:500) with si-control and si-Sestrin 2 transfected Hek293 cells.




HeLa cells were subjected to SDS PAGE followed by western blot with 66297-1-Ig (Sestrin2 Antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 66297-1-Ig (Sestrin2 Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 66297-1-Ig (Sestrin2 Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (10% Formaldehyde) fixed HeLa cells using 66297-1-Ig(Sestrin2 antibody) at dilution of 1:200 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L).