

For Research Use Only

FMR1 Monoclonal antibody

Catalog Number: 66548-1-Ig

Featured Product

3 Publications



Basic Information

Catalog Number:

66548-1-Ig

Size:

150ul, Concentration: 2100 ug/ml by Nanodrop and 1000 ug/ml by Bradford method using BSA as the standard;

Source:

Mouse

Isotype:

IgG2a

Immunogen Catalog Number:

AG4697

GenBank Accession Number:

BC038998

GeneID (NCBI):

2332

UNIPROT ID:

Q06787

Full Name:

fragile X mental retardation 1

Calculated MW:

632 aa, 71 kDa

Observed MW:

69-72 kDa

Purification Method:

Protein A purification

CloneNo.:

2B5B5

Recommended Dilutions:

WB 1:2000-1:10000

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC 1:250-1:1000

Applications

Tested Applications:

WB, IHC, FC (Intra), IP, ELISA

Cited Applications:

WB, IF

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : HeLa cells, HEK-293 cells, K-562 cells, Jurkat cells, HSCT6 cells

IP : HeLa cells,

IHC : human gliomas tissue, mouse brain tissue, human liver tissue, human colon cancer tissue, human colon tissue

Background Information

The selective RNA-binding protein FMRP forms a messenger ribonucleoprotein complex that associates with polyribosomes, implicating in regulation of translation. FMR1 is a component of the CYFIP1-EIF4E-FMR1 complex which binds to and represses the mRNA. It also has a role in the transport of mRNA from the nucleus to the cytoplasm. FMR1 exists several isoforms and the molecular weight of FMR1 is about 59-72 kDa.

Notable Publications

Author	Pubmed ID	Journal	Application
Belinda J Petri	36341798	Environ Res	WB
Raeann Goering	32510328	Elife	WB
Cheng Wu	37152432	Front Mol Neurosci	IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66548-1-Ig (FMR1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



IP result of anti-FMR1 (IP:66548-1-Ig, 5ug; Detection:66548-1-Ig 1:3000) with HeLa cells lysate 3200 ug.



Immunohistochemical analysis of paraffin-embedded human gliomas tissue slide using 66548-1-Ig (FMR1 antibody) at dilution of 1:500 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0)).



1X10⁶ Jurkat cells were intracellularly stained with 0.4 ug Anti-Human FMR1 (66548-1-Ig, Clone:2B5B5) and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Mouse IgG2a Isotype Control (C1.18.4) (65208-1-Ig, Clone: C1.18.4) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).