## For Research Use Only

# GSK3B Monoclonal antibody

Catalog Number:67329-1-lg 22 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number:

67329-1-lg BC000251

Size: Genel D (NCBI):
150ul , Concentration: 2689 ug/ml by 2932

Nanodrop and 1000 ug/ml by Bradford UNIPROT ID: method using BSA as the standard; P49841

Source: Full Name:

Mouse glycogen synthase kinase 3 beta

Isotype: Calculated MW:
IgG1 433 aa, 48 kDa
Immunogen Catalog Number: Observed MW:
AG17320 46-48 kDa

Purification Method:

Protein G purification CloneNo.:

2E9E4
Recommended Dilutions:

WB: 1:5000-1:50000 IHC: 1:1000-1:4000 IF/ICC: 1:200-1:800

## **Applications**

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications: WB, IF, CoIP Species Specificity:

human, pig
Cited Species:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### **Positive Controls:**

WB: A549 cells, pig brain tissue, HEK-293 cells, LNCaP cells, HeLa cells, HepG2 cells, Jurkat cells, MOLT-4

IHC: human breast cancer tissue, human liver cancer

tissue

IF/ICC: HeLa cells,

## **Background Information**

Glycogen synthase kinase-3 (GSK3) is a proline-directed serine-threonine kinase that was initially identified as a phosphorylating and inactivating glycogen synthase .GSK3B is involved in energy metabolism, neuronal cell development, and body pattern formation.In skeletal muscle, it contributes to insulin regulation of glycogen synthesis by phosphorylating and inhibiting GYS1 activity and hence glycogen synthesis. Researches showed that the crystal structure of human GSK3B, expressed in insect cells, at 2.8-angstrom resolution .

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Wen-Ying Yu	34079325	J Inflamm Res	WB,IF
Weijun Zhao	34296778	J Clin Lab Anal	WB,CoIP
Qibing Niu	32686659	Med Sci Monit	WB

## Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol, pH7.3  $\,$ 

Aliquoting is unnecessary for -20°C storage


\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 67329-1-lg (GSK3B antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 67329-1-Ig (GSK3B antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using GSK3B antibody (67329-1-lg, Clone: 2E9E4) at dilution of 1:400 and CoraLite@488-Conjugated Goat Anti-Mouse IgG(H+L).



Various lysates were subjected to SDS PAGE followed by western blot with 67329-1-lg (GSK3B antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.