

For Research Use Only

DAXX Monoclonal antibody

Catalog Number: 67879-1-Ig



Basic Information

Catalog Number: 67879-1-Ig	GenBank Accession Number: BC109074	Purification Method: Protein A purification
Size: 150ul , Concentration: 1000 µg/ml by Nanodrop;	GeneID (NCBI): 1616	CloneNo.: 1F3G9
Source: Mouse	Full Name: death-domain associated protein	Recommended Dilutions: WB 1:5000-1:50000 IHC 1:500-1:2000 IF 1:200-1:800
Isotype: IgG2b	Calculated MW: 740 aa, 81 kDa	
Immunogen Catalog Number: AG14606	Observed MW: 100-130 kDa	

Applications

Tested Applications:

IF, IHC, WB, ELISA

Species Specificity:

Human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : Raji cells, HeLa cells, Daudi cells, MOLT-4 cells, Jurkat cells

IHC : human breast cancer tissue,

IF : A431 cells,

Background Information

Death domain-associated protein (DAXX) is a transcription repressor involved in both physiological and pathological conditions. DAXX overexpression is a common feature in diverse cancers, which correlates with tumorigenesis, disease progression and treatment resistance. Daxx migrated with an apparent molecular weight of approximately 100-130 kDa. (PMID: 31350900, PMID: 32203224, PMID: 31614769)

Storage

Storage:

Store at -20°C.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Raji cells were subjected to SDS PAGE followed by western blot with 67879-1-Ig (DAXX antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 67879-1-Ig (DAXX antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed A431 cells using DAXX antibody (67879-1-Ig, Clone: 1F3G9) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).