For Research Use Only

GNAI3 Monoclonal antibody

Catalog Number:68156-1-lg





Basic Information	Catalog Number: 68156-1-lg	GenBank Accession Number: BC025285	Purification Method: Protein A purification
	Size: 150ul , Concentration: 1000 ug/ml by Nanodrop; Source: Mouse Isotype: IgG1 Immunogen Catalog Number: AG32662	GeneID (NCBI): 2773	CloneNo.: 1A9B6
		UNIPROT ID: P08754 Full Name: guanine nucleotide binding protein (protein), alpha inhibiting activity polypeptide 3 Calculated MW: 40 kDa Observed MW: ~40 kDa	Recommended Dilutions: WB 1:5000-1:50000 IF/ICC 1:400-1:1600 G
Applications	Tested Applications: WB, IF/ICC, ELISA Species Specificity: Human, Mouse, Rat		rols: .ls, LNCaP cells, HeLa cells, HepG2 cells, K-562 cells, HSC-T6 cells, NIH/3T3 cells,
		IE/ICC : HeLa	IF/ICC : HeLa cells,
Background Information	critical biological processes and regu apoptosis, and migration. For exampl neurotransmitter signals. In addition	oteins, which belong to the Ga proteir lates many cellular activities, includi le, GNA13 can regulate a class of K+ ch to its function as a downstream signa een shown to localize to the centrosor	n family. GNAI3 is involved in several ng proliferation, differentiation, annels in response to hormone and l pathway switch for receptors on the ne and affect cytokinesis. These indicate
Background Information	critical biological processes and regu apoptosis, and migration. For exampl neurotransmitter signals. In addition plasma membrane, GNA13 has also b that GNA13 has important receptor-in	oteins, which belong to the Ga proteir lates many cellular activities, includi le, GNA13 can regulate a class of K+ ch to its function as a downstream signa een shown to localize to the centrosor dependent functions. The molecular v er shipment. % glycerol pH 7.3.	n family. GNAI3 is involved in several ng proliferation, differentiation, annels in response to hormone and l pathway switch for receptors on the ne and affect cytokinesis. These indicate

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 68156-1-lg (GNA13 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.

Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using GNA13 antibody (68156-1-lg, Clone: 1A9B6) at dilution of 1:800 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).