For Research Use Only

## CoraLite® Plus 405 Anti-Human CD73 (AD2)

www.ptglab.com

Catalog Number: CL405-65162

**Basic Information** 

Catalog Number: CL405-65162

100 tests , 5  $\mu$ l/test

Source: Mouse

Isotype: IgG1, kappa

5'-nucleotidase, ecto (CD73)

Calculated MW:

GenBank Accession Number:

29 kDa, 63 kDa

BC015940

4907

P21589

GeneID (NCBI):

**UNIPROT ID:** 

Full Name:

**Purification Method:** 

Protein G purification

CloneNo.: AD2

Recommended Dilutions:

FC: 5 ul per  $10^6$  cells in  $100 \mu l$ 

suspension

Excitation/Emission maxima

wavelengths: 399 nm / 422 nm

**Applications** 

**Tested Applications:** 

Species Specificity:

Human

Positive Controls:

FC: human PBMCs,

**Background Information** 


CD73, also known as ecto-5'-nucleotidase (5'-NT), is a 70-kDa, glycosyl-phosphatidylinositol-linked membranebound glycoprotein found in most tissues (PMID: 18404475; 20179192). CD73 is an ectoenzyme that catalyzes the dephosphorylation of AMP and other nucleoside monophosphates (PMID: 9553767). In the human immune system, CD73 is expressed on subsets of T and B cells, on germinal center follicular dendritic cells, and on thymic medullary reticular fibroblasts and epithelial cells (PMID: 2137649; 9553767). CD73 is highly expressed in many human solid tumors and is closely involved in cancer progression (PMID: 20179192).

Storage


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

## Selected Validation Data



1X10^6 human PBMCs were surface co-stained with CL405 Anti-Human CD3 and 5 ul Coralite® Plus 405 Anti-Human CD73 (CL405-65162, Clone:AD2) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 405 Anti-Human CD73 (CL405-65162, Clone:AD2) (red) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.