For Research Use Only

CoraLite® Plus 488-conjugated Dystroglycan Monoclonal antibody



Catalog Number: CL488-66735

Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** CL488-66735 BC012740 Protein G purification

> GeneID (NCBI): CloneNo.: 100ul, Concentration: 1000 ug/ml by 1605 2B1G12

Nanodrop: **UNIPROT ID:** Recommended Dilutions:

Q14118 IF-P 1:50-1:500

Mouse Full Name: Excitation/Emission maxima

Isotype: $dystroglycan \ {\bf 1} \ (dystrophin-associated {\color{red}wavelengths};$ 493 nm / 522 nm lgG1 glycoprotein 1)

Immunogen Catalog Number: Calculated MW:

AG27222 97 kDa

> Observed MW: 43 kDa, 30 kDa

Applications

Tested Applications:

Species Specificity:

Human, Mouse, Rat, Pig

Positive Controls:

IF-P: mouse heart tissue,

Background Information

Dystroglycan, also known as DAG1 or DG, was originally isolated from skeletal muscle as an integral membrane component of the dystrophin-glycoprotein complex (DGC). In addition to skeletal muscle, dystroglycan is strongly expressed in heart and smooth muscle, as well as many non-muscle tissues including brain and peripheral nerve (PMID: 12556455). The dystroglycan is involved in a number of processes including laminin and basement membrane assembly, sarcolemmal stability, cell survival, peripheral nerve myelination, nodal structure, cell migration, and epithelial polarization. Dystroglycan consists of two subunits (alpha and beta), which are translated from a single mRNA as a propeptide that is proteolytically cleaved into two noncovalently associated proteins (PMID: 16410545). Alpha-dystroglycan is a 156-kDa extracellular peripheral glycoprotein, while beta-dystroglycan is a 43-kDa transmembrane protein (PMID: 9858474). The 43-kDa beta-dystroglycan can be cleaved into a ~30-kDa form (PMID: 14678802; 18458097; 17255331).

Storage


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.


Aliquoting is unnecessary for -20°C storage

in USA), or 1(312) 455-8498 (outside USA)

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed mouse heart tissue using Coralite® Plus 488 Dystroglycan antibody (CL488-66735, Clone: 2B1G12) at dilution of 1:200.



Immunofluorescent analysis of (4% PFA) fixed mouse heart tissue using Coralite® Plus 488 Dystroglycan antibody (CL488-66735, Clone: 2B1G12) at dilution of 1:200.