For Research Use Only

CoraLite® Plus 488-conjugated NeuN Monoclonal antibody



Catalog Number:CL488-66836 3 Publications

Basic Information

Catalog Number: GenBank Accession Number: **Purification Method:** CL488-66836 NM_001082575 Protein G purification

GeneID (NCBI): CloneNo.: 100ul, Concentration: 1000 ug/ml by 146713 3A4C1

Nanodrop: **UNIPROT ID:** Recommended Dilutions:

A6NFN3 IF-P: 1:50-1:500

Mouse FC (Intra): 0.40 ug per 10^6 cells in a Full Name:

hexaribonucleotide binding protein 3 100 µl suspension Isotype:

Excitation/Emission maxima lgG1 wavelengths:

Immunogen Catalog Number: 493 nm / 522 nm

AG28016

Applications Tested Applications: Positive Controls:

IF-P, FC (Intra) IF-P: mouse cerebellum tissue, mouse brain tissue **Cited Applications:**

FC (Intra): SH-SY5Y cells, U-87 MG cells

Species Specificity: human, mouse, rat

Cited Species: mouse, rat

Background Information

NeuN, encoded by FOX3, is a neuron-specific nuclear protein. Anti-NeuN stains exclusively neuronal cells in the central and peripheral nervous systems, especially postmitotic and differentiating neurons, as well as terminally differentiated neurons. Anti-NeuN has been used widely as a reliable tool to detect most postmitotic neuronal cell types. The immunohistochemical staining is primarily localized in the nucleus of the neurons with lighter staining in the cytoplasm.

Notable Publications

Author	Pubmed ID	Journal	Application
Yuewen Zhai	40434197	Adv Mater	IF
Jingcheng Shi	38585980	bioRxiv	
Lirong Zhang	36801237	Exp Eye Res	IF


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 50% glycerol, 0.05% Proclin300, 0.5% BSA, pH7.3

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed mouse cerebellum tissue using CoraLite® Plus 488 NeuN antibody (CL488-66836, Clone: 3A4C1) at dilution of 1:200.



1X10^6 U-87 MG cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human NeuN (CL488-66836, Clone:3A4C1) (red), or 0.4 ug Mouse IgG1 Isotype Control (66360-1-Ig, Clone: T1F8D3F10) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).



1X10^6 SH-SY5Y cells were intracellularly stained with 0.4 ug Coralite® Plus 488 Anti-Human NeuN (CL488-66836, Clone:3A4C1) (red), or 0.4 ug Mouse IgG1 Isotype Control (CL488-66360, Clone: T1F8D3F10) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).