For Research Use Only

CoraLite® Plus 488-conjugated UAP1 Monoclonal antibody

www.ptglab.com

Catalog Number: CL488-67545

Basic Information

Catalog Number: GenBank Accession Number:

CL488-67545 BC009377 GeneID (NCBI):

100ul, Concentration: 1000 ug/ml by 6675 Nanodrop: **UNIPROT ID:**

Q16222 Mouse Full Name:

Isotype: UDP-N-acteylglucosamine lgG1 pyrophosphorylase 1

Immunogen Catalog Number: Calculated MW: AG9513 505 aa. 57 kDa

> Observed MW: 57-59 kDa

Purification Method:

Protein G purification

CloneNo.: 2C7B2

Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

Applications

Tested Applications: IF/ICC, FC (Intra) Species Specificity:

Positive Controls:

IF/ICC: PC-3 cells,

Background Information

UAP1 can convert UTP and GlcNAc-1-P into UDP-GlcNAc, it can also convert UTP and GalNAc-1-P into UDP-GalNAc. There are three isoforms of UAP1, among which isoform AGX1 has 2 to 3 times higher activity towards GalNAc-1-P, while isoform AGX2 has 8 times more activity towards GlcNAc-1-P. It has been reported that UAP1 is specific and highly expressed in prostate cancer. UAP1 can protect cells against inhibitors of N-linked glycosylation. UAP1 may play an important role in maintaining INS responsiveness. 67545-1-Ig detects 57 and 59 kDa isoforms in SDS-PAGE. (PMID:25241896)

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed PC-3 cells using Coralite® Plus 488 UAP1 antibody (CL488-67545, Clone: 2C7B2) at dilution of 1:200.



1X10^6 PC-3 cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human UAP1 (CL488-67545, Clone:2C7B2) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).