For Research Use Only

CoraLite® Plus 555 Anti-Human CD86 (BU63)

www.ptglab.com

Purification Method:

Affinity purification

Recommended Dilutions:

FC: 5 ul per 10^6 cells in 100 μ l

Excitation/Emission maxima

CloneNo.:

suspension

wavelengths:

554 nm / 570 nm

BU63

Catalog Number: CL555-65165

Basic Information

Catalog Number: CL555-65165

100 tests , 5 μ l/test

Source: Mouse

IgG1, kappa

Isotype:

329 aa, 38 kDa

Tested Applications:

Species Specificity:

Human

GenBank Accession Number:

BC040261 GeneID (NCBI):

ENSEMBL Gene ID: ENSG00000114013

UNIPROT ID: P42081 Full Name:

CD86 molecule Calculated MW:

Positive Controls: FC: human PBMCs,

Background Information

CD86 (also known as B7.2) is a costimulatory molecule belonging to the immunoglobulin superfamily. Primarily expressed on antigen-presenting cells (APCs), including B cells, dendritic cells, and macrophages, CD86 is the ligand for two proteins at the cell surface of T cells, CD28 antigen and cytotoxic T-lymphocyte-associated protein 4. Binding $of CD86\ with\ CD28\ antigen\ is\ a\ costimulatory\ signal\ for\ activation\ of\ the\ T-cell.\ Binding\ of\ CD86\ with\ cytotoxic\ T-cell.$ lymphocyte-associated protein 4 negatively regulates T-cell activation and diminishes the immune response.


Storage

Applications


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1X10^6 human PBMCs were surface co-stained with Atlantic Blue Anti-Human CD14 and 5 ul Coralite® Plus 555 Anti-Human CD86 (CL555-65165, Clone:BU63) or unstained. Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Coralite® Plus 555 Anti-Human CD86 (CL555-65165, Clone:BU63) (red) or unstained. Cells were not fixed. Monocytes were gated.