For Research Use Only

CoraLite®555-conjugated HSP70 Monoclonal antibody

Catalog Number: CL555-66183





Basic Information	Catalog Number: CL555-66183	GenBank Accession Number: BC009322	Purification Method: Protein G purification				
	Size: 100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Mouse Isotype: IgG1 Immunogen Catalog Number: AG19111	GeneID (NCBI): 3303 UNIPROT ID: PODMV8 Full Name: heat shock 70kDa protein 1A Calculated MW: 70 kDa	CloneNo.: 4E7E5 Recommended Dilutions: IF/ICC 1:50-1:500 Excitation/Emission maxima wavelengths: 557 nm / 570 nm				
				Observed MW: 65-70 kDa			
				Applications	Tested Applications: IF/ICC, FC (Intra)	Positive Controls: IF/ICC : HeLa cells,	
					Species Specificity: human, mouse, rat, yeast		
		Background Information		HSPA1A, collectively known as HSP70 (also referred to HSP72), is a stress-inducible member of heat-shock protei 70 (HSP70) proteins which are highly conserved chaperons implicated in protein folding, protein refolding, protei transport, and protein targeting. Encoded by two closely linked, intronless and stress-inducible genes, HSPA1A an HSPA1B differ by only two amino acids and are believed to be fully interchangeable proteins. HSPA1A is a cytoso nuclear protein able to translocate between cytoplasm and nucleus. Generally, HSPA1A is thought to be expresse in unstressed normal cells at low or undetectable levels. Expression of HSPA1A protein can be highly activated by various stressful stimuli. Significant up-regulation of HSPA1A has been found in various tumors. Recently it has been reported that HSPA1A can be constitutively expressed in selected cell types. HSP70 is also used as exosoma marker. This antibody well recognized the endogenous HSP70 protein in multiple cell lines. (21373891)			
	transport, and protein targeting. Encod HSPA1B differ by only two amino acid nuclear protein able to translocate be in unstressed normal cells at low or u various stressful stimuli. Significant u been reported that HSPA1A can be con	ded by two closely linked, intronle ds and are believed to be fully inte tween cytoplasm and nucleus. Ge ndetectable levels. Expression of I up-regulation of HSPA 1A has been nstitutively expressed in selected	ss and stress-inducible genes, HSPA1A ar rchangeable proteins. HSPA1A is a cytoso nerally, HSPA1A is thought to be expresse HSPA1A protein can be highly activated b found in various tumors. Recently it has cell types. HSP70 is also used as exosoma				

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1X10⁶ HeLa cells were intracellularly stained with 0.4 ug CoraLite®555 Anti-Human HSP70 (CL555-66183, Clone:4E7E5) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).

Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using CoraLite®555 HSP70 antibody (CL555-66183, Clone: 4E7E5) at dilution of 1:200.