For Research Use Only

CoraLite® Plus 647-conjugated SURVIVIN Polyclonal antibody



Purification Method:

wavelengths: 654 nm / 674 nm

Antigen affinity purification

Excitation/Emission maxima

Catalog Number: CL647-10508

Featured Product

Basic Information

Catalog Number: GenBank Accession Number:

CL647-10508 BC008718 GeneID (NCBI): 100ul , Concentration: 1000 $\mu g/ml$ by 332

Nanodrop: **UNIPROT ID:** 015392 Rabbit Full Name:

Isotype: baculoviral IAP repeat-containing 5

IgG Calculated MW: Immunogen Catalog Number: 16 kDa AG0788 Observed MW:

16-18 kDa

Applications

Tested Applications:

FC (Intra)

Species Specificity: human, mouse, rat

Background Information

Survivin, also called BIRC5, is a unique member of the inhibitor of apoptosis (IAP) protein family. Survivin is a 16 kDa anti-apoptotic protein highly expressed during fetal development and cancer cell malignancy, but is completely absent in terminally differentiated cells. The differential expression of survivin in cancer versus normal tissues makes it a useful tool in cancer diagnosis and a promising therapeutic target. Survivin expression is also highly regulated by the cell cycle and is only expressed in the G2-M phase. It is known that survivin localizes to the mitotic spindle by interaction with tubulin during mitosis and may play a contributing role in regulating mitosis. Disruption of survivin-microtubule interactions results in loss of survivin's anti-apoptosis function and increased caspase-3 activity, a mechanism involved in cell death, during mitosis. It also is a direct target gene of the Wnt pathway and is upregulated by beta-catenin.

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



1X10^6 HeLa cells were intracellularly stained with 0.2 ug CoraLite® Plus 647 Anti-Human SURVIVIN (CL647-10508) (red), or 0.2 ug isotype control (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).