For Research Use Only

CoraLite® Plus 647-conjugated NDRG1 Polyclonal antibody



Purification Method:

wavelengths: 654 nm / 674 nm

Antigen affinity purification

Excitation/Emission maxima

Catalog Number: CL647-26902

Featured Product

Basic Information

Catalog Number: GenBank Accession Number:

CL647-26902 BC006260 GeneID (NCBI): 100ul , Concentration: 1000 $\mu g/ml$ by 10397

Nanodrop: **UNIPROT ID:** Q92597 Rabbit Full Name:

Isotype: N-myc downstream regulated 1

IgG Calculated MW:

Immunogen Catalog Number: 43 kDa AG25424 Observed MW:

43 kDa

Applications

Tested Applications:

Species Specificity:

human

Background Information

NDRG1 is a member of the N-myc down-regulated gene family which belongs to the alpha/beta hydrolase $superfamily. \, NDRG1 \, is \, a \, highly \, conserved \, cytoplasmic \, protein \, involved \, in \, cell \, growth \, arrest \, and \, proliferation, \, cell \, and \, conserved \, cytoplasmic \, protein \, involved \, in \, cell \, growth \, arrest \, and \, proliferation, \, cell \, and \, conserved \, cytoplasmic \, protein \, involved \, in \, cell \, growth \, arrest \, and \, proliferation, \, cell \, and \, conserved \, cytoplasmic \, protein \, involved \, in \, cell \, growth \, arrest \, and \, proliferation, \, cell \, conserved \, cytoplasmic \, protein \, involved \, in \, cell \, growth \, arrest \, and \, proliferation, \, cell \, conserved \, cytoplasmic \, protein \, involved \, in \, cell \, growth \, arrest \, and \, proliferation, \, cell \, conserved \, cytoplasmic \, protein \, involved \, in \, cell \, growth \, arrest \, and \, proliferation, \, cell \, conserved \, cytoplasmic \, cytopl$ differentiation, DNA damage response, heavy metal response, the hypoxia response, tumorigenesis, and metastasis. NDRG1 is a potent metastasis suppressor in multiple tumor-types. NDRG1 appears to serve as a putative tumor suppressor and is down-regulated in colorectal, gastric, cervical, ovarian and prostate cancers.


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



1x10^6 HeLa cells were intracellularly stained with 0.8 ug CoraLite® Plus 647 Anti-Human NDRG1 (CL647-26902)(red), or 0.8 ug CoraLite® Plus 647-conjugated Rabbit IgG control Rabbit PolyAb (CL647-30000) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).