

HumanKine® recombinant human TGF beta 3 protein



Animal Component-Free

Human cell expressed

Tag-Free

Endotoxin Free

Product Description

Animal-free Recombinant Human TGF beta 3 is expressed from human 293 cells as a mature disulfide-linked homodimer with apparent molecular mass of 25 kDa. This cytokine is produced in a human cell expression system with serum-free, chemically defined media. The cytokine is greater than 95% pure.

Alternative Names ARVD, FLJ16571, TGF beta 3, TGF beta3, TGFβ3


Source Human Embryonic Kidney cells (HEK293). HEK293-derived TGF beta 3 protein

Species Reactivity human,mouse


Specifications

Test	Method	Specification
Activity (EC50)	Dose-dependent inhibition of IL-4 induced proliferation of mouse HT-2 cells (BALB/c spleen activated by sheep erythrocytes in the presence of IL-2)	0.01 - 0.2 ng/mL
Molecular Mass	SDS-PAGE	13 kDa reduced, 22 kDa non-reduced, homodimer, non-glycosylated
Purity	SDS-PAGE	>95%
Endotoxin	LAL	<1 EU/μg

Activity Data



SDS-PAGE



Preparation	
Shipping Temperature	ambient temperature
Formulation	50 mM NaOAc pH 3.7 + 1% CHAPS, See Certificate of Analysis for details
Reconstitution	Briefly centrifuge the vial before opening. It is recommended to reconstitute the protein to 0.1mg/mL in sterile 4 mM HCl containing 0.1% endotoxin-free recombinant human serum albumin (HSA). Gently swirl or tap vial to mix.

Stability and Storage	Product Form	Temperature Conditions	Storage Time (From Date of Receipt)
	Lyophilized	-20°C to -80°C	Until Expiry Date
	Lyophilized	Room Temperature	2 weeks
	Reconstituted as per CofA	-20°C to -80°C	6 months
	Reconstituted as per CofA	4°C	1 week
Avoid repeated freeze-thaw cycles.			

www.ptglab.com

Document #: FR-QA118-101 Rev 0
Data Sheet Version #: 1

Proteintech Group, Inc.
5500 Pearl Street, Suite 400 Rosemont, IL 60612
t: 1-888-478-4522; f: 1-312-455-8408
Email: proteintech@ptglab.com