

Catalog Number: HZ-1103

Data Sheet



HumanKine® recombinant human FGF-8b protein

Animal Component-Free


Human cell expressed

Tag-Free


Endotoxin Free

Product Description				
Animal-free Recombinant Human FGF-8b is expressed in human 293 cells as a monomeric glycoprotein with an apparent molecular mass of 30 to 45 kDa. This wide molecular mass is due to glycosylation, which is absent when this cytokine is expressed in E. coli. Production in human 293 cells offers authentic glycosylation. Glycosylation contributes to stability in cell growth media and other applications. The cytokine is greater than 95% pure.				
Alternative Names	AIGF, Androgen induced growth factor, FGF 8, FGF8, FGF-8b, Fibroblast growth factor 8, HBGF 8, KAL6			
Source	Human Embryonic Kidney cells (HEK293). HEK293-derived FGF-8b protein			
Species Reactivity	human.mouse			

Specifications					
Test	Method	Specification			
Activity (EC50)	Dose-Dependent stimulation of Proliferation in the NIH 3T3 cell line in low serum conditions	10-60 ng/mL EC50 in NIH 3T3 in defined media or 0.7-4 ng/mL EC50 in Balb/c 3T3.			
Molecular Mass	SDS-PAGE 1 30 to 45 kDa reduced and non-reduced r				
Purity	SDS-PAGE	>95%			
Endotoxin	LAL	<1 EU/µg			



The activity was determined by the dose-dependent stimulation of the proliferation of the Balb/3T3 cell line using the Promega CellTiter96® Aqueous Non-Radioactive Cell Proliferation Assay.



www.ptglab.com

Document #: FR-QA118-101 Rev 0 Data Sheet Version #: 1 Proteintech Group, Inc.

5500 Pearl Street, Suite 400 Rosemont, IL 60612 t: 1-888-478-4522; f: 1-312-455-8408 Email: proteintech@ptglab.com

Preparation				
Shipping Temperature				
Formulation 10 mM Tris-HCl pH 7.4 + 800 mM NaCl, See Certificate of Analysis for details				
Reconstitution	Briefly centrifuge the vial before opening. It is recommended to reconstitute the protein in sterile water containing 0.1% endotoxin-free recombinant human serum albumin (HSA).			

	Product Form	Temperature Conditions	Storage Time (From Date of Receipt)
	Lyophilized	-20°C to -80°C	Until Expiry Date
Stability and Storage	Lyophilized	Room Temperature	2 weeks
_	Reconstituted as per CofA	-20°C to -80°C	6 months
	Reconstituted as per CofA	4°C	1 week
		Avoid repeated freeze-thaw cycles.	

www.ptglab.com

Document #: FR-QA118-101 Rev 0 Data Sheet Version #: 1 Proteintech Group, Inc.

5500 Pearl Street, Suite 400 Rosemont, IL 60612 t: 1-888-478-4522; f: 1-312-455-8408 Email: proteintech@ptglab.com