For Research Use Only

PE Anti-Human CD3 (Hit3a)

Catalog Number: PE-65112



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method: Affinity purification

PE-65112 Size:

GeneID (NCBI):

CloneNo.:

100tests , 5 µl/test

916

BC049847

Source: Mouse

Full Name: CD3e molecule, epsilon (CD3-TCR Excitation/Emission maxima wavelengths:

Isotype:

complex)

496 nm, 565 nm / 578 nm

IgG2a, kappa

Calculated MW: 207 aa, 23 kDa

Applications

Tested Applications:

Species Specificity:

Human

Background Information

CD3 is a multimeric protein associated with the T-cell receptor (TCR) to form a complex involved in antigen recognition and signal transduction (PMID: 15885124). CD3 is composed of CD3 γ , δ , ϵ , and ζ chains (PMID: 1826255). It is expressed by thymocytes in a developmentally regulated manner, T cells, and some NK cells (PMID: 3289580). The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCR-mediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction (PMID: 11985657).


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 0.09% sodium azide and 0.5% BSA.

in USA), or 1(312) 455-8498 (outside USA)

Selected Validation Data



1X10^6 human PBMCs were surface stained with 5 ul PE Anti-Human CD3 (PE-65112, Clone:Hit3a), or PE Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul PE Anti-Human CD3 (PE-65112, Clone:Hit3a), or PE Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.