## For Research Use Only

## PE Anti-Mouse CD154 (MR1)

Catalog Number: PE-65129



**Basic Information** 

Catalog Number:

GenBank Accession Number:

**Purification Method:** Affinity purification

PE-65129

GeneID (NCBI):

BC119225

CloneNo.:

100 $\mathrm{ug}$  , 0.2  $\mathrm{mg/ml}$ 

Armenian Hamster

21947

MR1

Full Name:

Excitation/Emission maxima wavelengths:

Isotype: IgG

CD40 ligand

496 nm, 565 nm / 578 nm

**Applications** 

**Tested Applications:** 

Species Specificity:

Mouse

**Background Information** 


The CD40 ligand (CD40L, TRAP, CD154), a member of the TNF superfamily of ligands, is expressed as either a 33-kd transmembrane homologue or 18-kd soluble form (sCD154). CD40L is primarily expressed on activated CD4+ T cells and on a small proportion of CD8+ T cells and platelets. It binds to CD40 on antigen-presenting cells (APC), which  $leads \ to \ many \ effects \ depending \ on \ the \ target \ cell \ type. \ It \ has \ been \ suggested \ that \ CD40/CD40L \ interactions$ regulate oxidative stress and affect various signaling pathways in both the immunological and the cardiovascular systems. The CD40/CD40L system is also involved in tumorigenesis. Its expression is tightly regulated, and abnormal levels of CD40L are associated with the pathogenesis of atheromatous plaque destabilization and thrombotic events. Multiple mutations in CD40LG gene have been identified that are associated with hyper-IgM immunodeficiency syndrome type 1.

Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer:

Phosphate based buffer with 0.09% sodium azide and 0.1% gelatin, pH 7.2.

## Selected Validation Data



1X10^6 unstimulated or Cell Stimulation Cocktail stimulated (overnight) BALB/c mouse CD4+T cells were surface co-stained with CoraLite® Plus 647 Anti-Mouse CD4 (GK1.5) and 0.5 ug PE Anti-Mouse CD154 (PE-65129, Clone: MR1). Cells were not fixed.