

Nur für Forschungszwecke

UNC5D-Specific Polyklonaler Antikörper



Katalog-Nr.: 20241-1-AP

Allgemeine Informationen

Katalog-Nr.: 20241-1-AP	GenBank-Zugangsnummer: NM_080872	Reinigungsmethode: Antigen-Affinitätsreinigung
Größe: 150ul, Konzentration: 200 µg/ml durch die Bradford-Methode mit BSA als Standard;	GeneID (NCBI): 137970	Empfohlene Verdünnungen: WB 1:500-1:1000
Wirt: Kaninchen	Vollständiger Name: unc-5 homolog D (C. elegans)	
Isotyp: IgG	Berechnete Masse: 106 kDa	
	Beobachtete Masse: 59-65 kDa	

Anwendungen

Geprüfte Anwendungen: WB, ELISA	Positivkontrollen: WB: Mausnierengewebe,
Getestete Reaktivität: Human, Maus	

Hintergrundinformationen

UNC5D, also named as KIAA1777 and UNC5H4, belongs to the unc-5 family. It is a receptor for netrin. It may be involved in axon guidance by mediating axon repulsion of neuronal growth cones in the developing nervous system upon ligand binding. Axon repulsion in growth cones may be caused by its association with DCC that may trigger signaling for repulsion. It also acts as a dependence receptor required for apoptosis induction when not associated with netrin ligand. The antibody is specific to UNC5D.

Lagerung

Lagerungsbedingungen:
Bei -20°C lagern. Nach dem Versand ein Jahr lang stabil
Lagerungspuffer:
PBS mit 0.02% Natriumazid und 50% Glycerin pH 7.3.
Aliquotieren ist nicht notwendig bei -20°C Lagerung

***** 20ul-Größen enthalten 0.1% BSA**


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Ausgewählte Validierungsdaten



mouse kidney tissue were subjected to SDS PAGE followed by western blot with 20241-1-AP (UNC5D-Specific antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.