

Nur für Forschungszwecke

# Phospho-Caspase 9 (Ser196) Polyklonaler Antikörper



Katalog-Nr.: 28794-1-AP

1 Publikationen

## Allgemeine Informationen

Katalog-Nr.:	28794-1-AP	GenBank-Zugangsnummer:	BC002452	Reinigungsmethode:	Antigen-Affinitätsreinigung
Größe:	100ul, Konzentration: 350 µg/ml von Nanodrop;	GenID (NCBI):	842	Empfohlene Verdünnungen:	WB 1:1000-1:4000
Wirt:	Kaninchen	Vollständiger Name:	caspase 9, apoptosis-related cysteine peptidase		
Isotyp:	IgG	Berechneté Masse:	46 kDa		
		Beobachteté Masse:	36 kDa		

## Anwendungen

Geprüfte Anwendungen:	Positivkontrollen:
WB, ELISA	WB: mit Calyculin A behandelte HEK-293T-Zellen,
In Publikationen genannte Anwendungen:	
WB	
Getestete Reaktivität:	
Human	
Zitierte Arten:	
Human	

## Hintergrundinformationen

Caspase 9 also name as MCH6, APAF3, APAF-3, ICE-LAP6 and CASPASE-9c, is a member of the cysteine-aspartic acid protease (caspase) family. It's synthesized as a 46 kDa precursor protein which can be cleaved into a 35 kDa subunit and a 11 kDa subunit. Control of all caspases is tightly regulated by a series of phosphorylation events enacted by several different kinases. Caspase-9 is the most heavily phosphorylated of all caspases, with phosphorylation of at least 11 distinct residues in all three caspase-9 domains by nine kinases. It plays a central role in the mitochondrial or intrinsic apoptotic pathway that is engaged in response to many apoptotic stimuli. Once activated, caspase-9 cleaves and activates the effector caspases 3 and 7 to bring about apoptosis. It's reported that there is an increase in caspase 9 expression and activity in the hypoxic brain. Inhibition of Caspase 9 activity would render opportunity to treat neurological diseases such as stroke, neurodegenerative diseases or brain injury caused by hypoxia. (PMID: 19788417, PMID: 10529400, PMID: 9812896, PMID: 18840507, PMID: 29066624)

## Bemerkenswerte Veröffentlichungen

Verfasser	Pubmed ID	Journal	Anwendung
Bing-Xin Chu	34804044	Front Immunol	WB

## Lagerung

Lagerungsbedingungen:  
Bei -20°C lagern. Nach dem Versand ein Jahr lang stabil  
Lagerungspuffer:  
PBS mit 0.02% Natriumazid und 50% Glycerin pH 7.3.  
Aliquotieren ist nicht notwendig bei -20°C Lagerung


\*\*\* 20ul-Größen enthalten 0.1% BSA

For technical support and original validation data for this product please contact:  
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free  
in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Ausgewählte Validierungsdaten



Non-treated HEK-293T and calyculin A treated HEK-293T cells were subjected to SDS PAGE followed by western blot with 28794-1-AP (Phospho-Caspase 9 (Ser196) antibody) at dilution of 1:2000 incubated at 4°C overnight. The membrane was stripped and re-blotted with GAPDH antibody as loading control.