

Nur für Forschungszwecke

SNF2L Polyklonaler Antikörper

Katalog-Nr.: 29461-1-AP

1 Publikationen



Allgemeine Informationen

Katalog-Nr.: 29461-1-AP	GenBank-Zugangsnummer: NM_003069	Reinigungsmethode: Antigen-Affinitätsreinigung
Größe: 150ul, Konzentration: 800 µg/ml von Nanodrop;	GeneID (NCBI): 6594	Empfohlene Verdünnungen: WB 1:2000-1:12000
Wirt: Kaninchen	Vollständiger Name: SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1	
Isotyp: IgG	Berechnete Masse: 123 kDa	
Immunogen Katalognummer: AG30657	Beobachtete Masse: 120-130 kDa	

Anwendungen

Geprüfte Anwendungen: WB, ELISA	Positivkontrollen: WB : U-87 MG-Zellen, SH-SY5Y-Zellen, U-251-Zellen
In Publikationen genannte Anwendungen: WB	
Getestete Reaktivität: Human	
Zitierte Arten: Human	

Hintergrundinformationen

SNF2L, also named as SMARCA1, NURF140 and ISWI, encodes the SWI/SNF family of proteins. The encoded protein is an ATPase which is expressed in diverse tissues and contributes to the chromatin remodeling complex that is involved in transcription (PMID: 28801535). SNF2L was shown to promote neurite outgrowth as well as regulate the human engrailed homeotic genes, important regulators of brain development (PMID: 15310751). The protein may also play a role in DNA damage, growth inhibition and apoptosis of cancer cells (PMID: 25462860). SNF2L has 2 isoforms with MW of 123 kDa and 121 kDa, and can be detected as 120-130 kDa.

Bemerkenswerte Veröffentlichungen

Verfasser	Pubmed ID	Journal	Anwendung
Ge Sun	36828916	Cell Death Differ	WB

Lagerung


Lagerungsbedingungen:
Bei -20°C lagern.
Lagerungspuffer:
PBS mit 0.02% Natriumazid und 50% Glycerin pH 7.3.
Aliquotieren ist nicht notwendig bei -20°C Lagerung

*** 20ul-Größen enthalten 0.1% BSA

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Ausgewählte Validierungsdaten



U-87 MG cells were subjected to SDS PAGE followed by western blot with 29461-1-AP (SNF2L antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.