

Nur für Forschungszwecke

# Drosha Polyklonaler Antikörper

Katalog-Nr.:55001-1-AP

Vorgestelltes Produkt

8 Publikationen



## Allgemeine Informationen

Katalog-Nr.:

55001-1-AP

Größe:

150ul, Konzentration: 200 µg/ml von Nanodrop und 207 µg/ml durch die Bradford-Methode mit BSA als Standard;

Wirt:

Kaninchen

Isotyp:

IgG

GenBank-Zugangsnummer:

NM\_013235

GeneID (NCBI):

29102

Vollständiger Name:

ribonuclease type III, nuclear

Berechnete Masse:

159 kDa

Beobachtete Masse:

90 kDa, 151 kDa

Reinigungsmethode:

Antigen-Affinitätsreinigung

Empfohlene Verdünnungen:

WB 1:500-1:1000

## Anwendungen

Geprüfte Anwendungen:

WB, ELISA

In Publikationen genannte Anwendungen:

WB

Getestete Reaktivität:

Human, Maus, Ratte

Zitierte Arten:

Human, Maus

Positivkontrollen:

WB : HEK-293-Zellen, HeLa-Zellen, HepG2-Zellen

## Hintergrundinformationen

DROSHA, also named as RN3, RNASE3L, P241 and RNASEN, is double-stranded (ds) RNA-specific endoribonuclease that is involved in the initial step of microRNA (miRNA) biogenesis. It is a component of the microprocessor complex that is required to process primary miRNA transcripts (pri-miRNAs) to release precursor miRNA (pre-miRNA) in the nucleus. Within the microprocessor complex, RNASEN/DROSHA cleaves the 3' and 5' strands of a stem-loop in pri-miRNAs (processing center 11 bp from the dsRNA-ssRNA junction) to release hairpin-shaped pre-miRNAs that are subsequently cut by the cytoplasmic DICER to generate mature miRNAs. RNASEN is involved also in pre-rRNA processing. Cleaves double-strand RNA and does not cleave single-strand RNA. And it is involved in the formation of GW bodies. The antibody is specific to DROSHA. DROSHA/RNASEN has some transcription forms with MW 160kd, 151kd, 138kd and 90kd.

## Bemerkenswerte Veröffentlichungen

Verfasser	Pubmed ID	Journal	Anwendung
Qiaofang Chu	35604380	J Gen Virol	WB
Yuan Wang	28522832	Sci Rep	WB
Kaiqiang Fu	31088452	BMC Biol	

## Lagerung

Lagerungsbedingungen:

Bei -20°C lagern. Nach dem Versand ein Jahr lang stabil

Lagerungspuffer:

PBS mit 0.02% Natriumazid und 50% Glycerin pH 7.3.

Aliquotieren ist nicht notwendig bei -20°C Lagerung

\*\*\* 20ul-Größen enthalten 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Ausgewählte Validierungsdaten



HEK-293 cells were subjected to SDS PAGE followed by western blot with 55001-1-AP (Drosha antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.