

Nur für Forschungszwecke

AMPK Gamma 1 Monoklonaler Antikörper



Katalog-Nr.: 67182-1-Ig

Vorgestelltes Produkt

Allgemeine Informationen

Katalog-Nr.: 67182-1-Ig	GenBank-Zugangsnummer: BC000358	Reinigungsmethode: Protein-G-Reinigung
Größe: 150ul, Konzentration: 1000 µg/ml durch die Bradford-Methode mit BSA als Standard;	GeneID (NCBI): 5571	CloneNo.: 1E11D4
Wirt: Maus	Vollständiger Name: protein kinase, AMP-activated, gamma 1 non-catalytic subunit	Empfohlene Verdünnungen: WB 1:5000-1:20000
Isotyp: IgG1	Berechnete Masse: 38 kDa	
Immunogen Katalognummer: AG28907	Beobachtete Masse: 36-38 kDa	

Anwendungen

Geprüfte Anwendungen: WB, ELISA	Positivkontrollen: WB: HeLa-Zellen, HEK-293-Zellen, HepG2-Zellen, Jurkat-Zellen, K-562-Zellen, NIH/3T3-Zellen, PC-12-Zellen, RAW 264.7-Zellen
Getestete Reaktivität: Human, Maus, Ratte	

Hintergrundinformationen

Protein kinase, AMP-activated, gamma 1 non-catalytic subunit (PRKAG1, synonyms: AMPKG, MGC8666) is a regulatory subunit of the AMP-activated protein kinase (AMPK). AMPK is a heterotrimer consisting of a catalytic subunit, and non-catalytic and subunits. AMPK is an important energy-sensing enzyme that monitors cellular energy status. In response to cellular metabolic stresses, AMPK is activated, and thus phosphorylates and inactivates acetyl-CoA carboxylase (ACC) and beta-hydroxy beta-methylglutaryl-CoA reductase (HMGCR), key enzymes involved in regulating de novo biosynthesis of fatty acid and cholesterol. AMPK gamma 1 is one of the gamma regulatory subunits of AMPK.

Lagerung

Lagerungsbedingungen:
Bei -20°C lagern. Nach dem Versand ein Jahr lang stabil
Lagerungspuffer:
PBS mit 0.02% Natriumazid und 50% Glycerin pH 7.3.
Aliquotieren ist nicht notwendig bei -20°C Lagerung

*** 20ul-Größen enthalten 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Ausgewählte Validierungsdaten



WB result of AMPK Gamma 1 antibody (67182-1-Ig; 1:20000; incubated at room temperature for 1.5 hours) with sh-Control and sh-AMPK Gamma 1 transfected HEK-293 cells.



Various lysates were subjected to SDS PAGE followed by western blot with 67182-1-Ig (AMPK gamma 1 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.