

Nur für Forschungszwecke

DAXX Monoklonaler Antikörper

Katalog-Nr.:67879-1-Ig



Allgemeine Informationen

Katalog-Nr.: 67879-1-Ig	GenBank-Zugangsnummer: BC109074	Reinigungsmethode: Protein-A-Reinigung
Größe: 150ul , Konzentration: 1000 µg/ml von1616 Nanodrop;	GeneID (NCBI): death-domain associated protein	CloneNo.: 1F3G9
Wirt: Maus	Vollständiger Name: death-domain associated protein	Empfohlene Verdünnungen: WB 1:5000-1:50000 IHC 1:500-1:2000 IF 1:200-1:800
Isotyp: IgG2b	Berechnete Masse: 740 aa, 81 kDa	
Immunogen Katalognummer: AG14606	Beobachtete Masse: 100-130 kDa	

Anwendungen

Geprüfte Anwendungen:

IF, IHC, WB,ELISA

Getestete Reaktivität:

Human

Hinweis-IHC: Antigendemaskierung mit TE-Puffer pH 9,0 empfohlen. (*) Wahlweise kann die Antigendemaskierung auch mit Citratpuffer pH 6,0 erfolgen.

Positivkontrollen:

WB : Raji-Zellen, Daudi-Zellen, HeLa-Zellen, Jurkat-Zellen, MOLT-4-Zellen

IHC : humanes Mammakarzinomgewebe,

IF : A431-Zellen,

Hintergrundinformationen

Death domain-associated protein (DAXX) is a transcription repressor involved in both physiological and pathological conditions. DAXX overexpression is a common feature in diverse cancers, which correlates with tumorigenesis, disease progression and treatment resistance. Daxx migrated with an apparent molecular weight of approximately 100-130 kDa. (PMID: 31350900, PMID: 32203224, PMID: 31614769)

Lagerung

Lagerungsbedingungen:

Bei -20°C lagern.

Lagerungspuffer:

PBS mit 0.02% Natriumazid und 50% Glycerin pH 7.3.

Aliquotieren ist nicht notwendig bei -20°C Lagerung

*** 20ul-Größen enthalten 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Ausgewählte Validierungsdaten



Raji cells were subjected to SDS PAGE followed by western blot with 67879-1-Ig (DAXX antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 67879-1-Ig (DAXX antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed A431 cells using DAXX antibody (67879-1-Ig, Clone: 1F3G9) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).