

Nur für Forschungszwecke

TNIK Monoklonaler Antikörper

Katalog-Nr.:67948-1-Ig



Allgemeine Informationen

Katalog-Nr.: 67948-1-Ig	GenBank-Zugangsnummer: BC055427	Reinigungsmethode: Protein-A-Reinigung
Größe: 150ul, Konzentration: 1000 µg/ml von23043 Nanodrop;	GeneID (NCBI): 23043	CloneNo.: 1E9H3
Wirt: Maus	Vollständiger Name: TRAF2 and NCK interacting kinase	Empfohlene Verdünnungen: WB 1:2000-1:10000 IHC 1:250-1:1000 IF 1:400-1:1600
Isotyp: IgG2a	Berechnete Masse: 155 kDa	
Immunogen Katalognummer: AG30710		

Anwendungen

Geprüfte Anwendungen:
IF, IHC, WB, ELISA

Getestete Reaktivität:
Human

Hinweis-IHC: Antigenmaskierung mit TE-Puffer pH 9,0 empfohlen. (*) Wahlweise kann die Antigenmaskierung auch mit Citratpuffer pH 6,0 erfolgen.

Positivkontrollen:

WB: human peripheral blood platelets, K-562-Zellen

IHC: humanes Nierengewebe,

IF: A431-Zellen,

Hintergrundinformationen

Lagerung

Lagerungsbedingungen:
Bei -20°C lagern.

Lagerungspuffer:

PBS mit 0.02% Natriumazid und 50% Glycerin pH 7.3.

Aliquotieren ist nicht notwendig bei -20°C Lagerung

***** 20ul-Größen enthalten 0.1% BSA**


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Ausgewählte Validierungsdaten




K-562 cells were subjected to SDS PAGE followed by western blot with 67948-1-Ig (TNIK antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.




human peripheral blood platelets were subjected to SDS PAGE followed by western blot with 67948-1-Ig (TNIK antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human kidney tissue slide using 67948-1-Ig (TNIK antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human kidney tissue slide using 67948-1-Ig (TNIK antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed A431 cells using TNiK antibody (67948-1-Ig, Clone: 1E9H3) at dilution of 1:800 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L), CL594-Phalloidin (red).