

Nur für Forschungszwecke

ZHX2 Monoklonaler Antikörper

Katalog-Nr.:68268-1-Ig



Allgemeine Informationen

| | | |
|---|---|--|
| Katalog-Nr.: 68268-1-Ig | GenBank-Zugangsnummer: BC042145 | Reinigungsmethode: Protein-G-Reinigung |
| Größe: 150ul , Konzentration: 1000 µg/ml von22882 | GeneID (NCBI): 22882 | CloneNo.: 4E12F2 |
| Nanodrop; | Vollständiger Name: zinc fingers and homeoboxes 2 | Empfohlene Verdünnungen: WB 1:5000-1:50000 |
| Wirt: Maus | Berechnete Masse: 837 aa, 92 kDa | |
| Isotyp: IgG1 | Beobachtete Masse: 92-100 kDa | |
| Immunogen Katalognummer: AG14420 | | |

Anwendungen

| | |
|---|---|
| Geprüfte Anwendungen: WB, ELISA | Positivkontrollen: WB : SH-SY5Y-Zellen, Hausschwein-Hirngewebe, HEK-293-Zellen, HeLa-Zellen, Jurkat-Zellen, Kaninchenhirngewebe, LNCaP-Zellen, Maushirngewebe, Rattenhirngewebe |
| Getestete Reaktivität: Hausschwein, Human, Kaninchen, Maus, Ratte | |

Hintergrundinformationen

Zinc fingers and homeoboxes protein 2 is a protein that in humans is encoded by the ZHX2 gene. ZHX2 Act as a transcriptional repressor, represses the promoter activity of the CDC25C gene stimulated by NFYA (PMID:12741956). In addition to forming homodimers, this protein heterodimerizes with member 1 of the zinc fingers and homeoboxes family.

Lagerung

Lagerungsbedingungen:
Bei -20°C lagern. Nach dem Versand ein Jahr lang stabil
Lagerungspuffer:
PBS mit 0.02% Natriumazid und 50% Glycerin pH 7.3.
Aliquotieren ist nicht notwendig bei -20°C Lagerung

*** 20ul-Größen enthalten 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Ausgewählte Validierungsdaten



Various lysates were subjected to SDS PAGE followed by western blot with 68268-1-Ig (ZHX2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control.