

Nur für Forschungszwecke

PNPT1 Monoklonaler Antikörper

Katalog-Nr.:68309-1-Ig



Allgemeine Informationen

Katalog-Nr.: 68309-1-Ig	GenBank-Zugangsnummer: BC053660	Reinigungsmethode: Protein-G-Reinigung
Größe: 150ul , Konzentration: 500 µg/ml von Nanodrop;	GeneID (NCBI): 87178	CloneNo.: 3F2A1
Wirt: Maus	Vollständiger Name: polyribonucleotide nucleotidyltransferase 1	Empfohlene Verdünnungen: WB 1:5000-1:50000
Isotyp: IgG1	Berechnete Masse: 86 kDa	
Immunogen Katalognummer: AG6290	Beobachtete Masse: 86 kDa	

Anwendungen

Geprüfte Anwendungen:
WB, ELISA

Getestete Reaktivität:
Human, Maus, Ratte

Positivkontrollen:

WB: A549-Zellen, 4T1-Zellen, HEK-293-Zellen, HeLa-Zellen, Jurkat-Zellen, K-562-Zellen, LNCaP-Zellen, NIH/3T3-Zellen

Hintergrundinformationen

PNPT1 (polynucleotide phosphorylase1; also known as PNPASE) localizes in the mitochondrial intermembrane and regulates RNA import into mitochondria (20691904). PNPT1 is also involved in mRNA degradation. As a type I IFN-inducible gene, PNPT1 plays an essential role in mediating IFN-mediated inflammatory processes (17804700). Recently mutation in PNPT1 has been reported to cause hereditary hearing loss (23084290). This antibody detected the endogenous PNPT1 around 80 kDa in mouse brain.

Lagerung

Lagerungsbedingungen:

Bei -20°C lagern. Nach dem Versand ein Jahr lang stabil

Lagerungspuffer:

PBS mit 0.02% Natriumazid und 50% Glycerin pH 7.3.

Aliquotieren ist nicht notwendig bei -20°C Lagerung

***** 20ul-Größen enthalten 0.1% BSA**


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Ausgewählte Validierungsdaten



Various lysates were subjected to SDS PAGE followed by western blot with 68309-1-Ig (PNPT1 antibody) at dilution of 1:10000 and incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Beta Actin Monoclonal antibody (HRP-66009) as loading control.