

Nur für Forschungszwecke

NeutraKine® IFN Alpha 2A Monoklonaler Antikörper



Katalog-Nr.: 69008-1-Ig

Allgemeine Informationen

Katalog-Nr.:

69008-1-Ig

Größe:

100ug

Wirt:

Maus

Isotyp:

IgG1

Immunogen Katalognummer:

HZ-1066

GenBank-Zugangsnummer:

GeneID (NCBI):

3440

Vollständiger Name:

interferon, alpha 2

Reinigungsmethode:

Protein-G-Reinigung

CloneNo.:

2H8G1

Anwendungen

Geprüfte Anwendungen:

Neutralization, ELISA

Getestete Reaktivität:

Human

Hintergrundinformationen

Interferon alpha 2 is a type 1 interferon. Interferon alpha 2 is secreted by virus-infected cells and inhibits other cells from further infection. Recombinant human interferon alpha 2 has been approved for therapeutic application in a range of human oncological and viral diseases. Three Interferon alpha 2 subvariants (2A, 2B, 2C) differ by only one or two amino acids at positions 23 and/or 34 of the mature protein (PMID: 25982860; 10672347; 1694761).

This antibody can be used to neutralize the bioactivity of Interferon alpha 2.

Lagerung

Lagerungsbedingungen:

Lyophilisierte Antikörper sind bei Lagerung zwischen (-20°C) und (-80°C) 1 Jahr ab Empfangsdatum stabil. Bei Rekonstitution empfehlen wir, die Lösung kurzfristig bei (4°C) oder langfristig bei (-20°C) bis (-80°C) zu lagern. Rekonstituierte Produkte sollten nicht wiederholt eingefroren und wieder aufgetaut werden.

Lagerungspuffer:

Sterile PBS.

Aliquotieren ist nicht notwendig bei -20°C Lagerung

*** 20ul-Größen enthalten 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Ausgewählte Validierungsdaten



Recombinant human IFN alpha 2A (Cat.NO. HZ-1066) inhibits the growth of TF-1 cell line (human erythroleukemic cell line) in a dose-dependent manner (blue curve, refer to bottom X-left Y). The activity of human IFN alpha 2A (100 ng/mL HZ-1066) is neutralized by mouse anti-human IFN alpha 2A monoclonal antibody 69008-1-Ig at serial dose (red curve, refer to top X-right Y). The ND50 is typically 300-500 ng/mL.