#### Nur für Forschungszwecke

# SARS-CoV-2 Spike Rekombinanter Antikörper



Reinigungsmethode:

CloneNo.:

AM004414

by the end user.

Protein-A-Chromatographie

Empfohlene Verdünnungen:

Sample dependent. To be determined

Katalog-Nr.:91345-PTG

Allgemeine Informationen

Katalog-Nr.: GenBank-Zugangsnummer:

91345-PTG NC\_045512 Größe: GeneID (NCBI): 100ug 43740568

Wirt: Vollständiger Name: Mensch SARS-CoV-2 Spike Protein

Berechneté Masse: Isotyp: lgG1 141 kDa

Geprüfte Anwendungen:

Getestete Reaktivität:

WB, ELISA

Virus

### Hintergrundinformationen

Anwendungen

COVID-19, which is short for coronavirus disease 2019, is the official name of the respiratory disease caused by infection with the novel coronavirus SARS-CoV-2. The virus that causes COVID-19 was named SARS-CoV-2 because it is a coronavirus genetically similar to, yet distinct from, the virus that caused the severe acute respiratory syndrome (SARS) outbreak in 2003. Studying the details of how this virus replicates and causes the disease will allow scientists and physicians to more rapidly develop fast and accurate methods of detection as well as to deploy therapeutic and vaccine strategies. This antibody was derived from COVID-19 patients who have cleared the virus. Patient serum IgG was sequenced and expressed as full-length IgG1 with human immunoglobulin heavy and light chains in mammalian 293 cells.

#### Lagerung

Lagerungsbedingungen:

Avoid repeated freeze/thaw cycles by aliquoting items into single-use fractions for storage at -20°C for up to 2 years. Keep all reagents on ice when not in storage. This product is guaranteed for 12 months from date of receipt.

140 mM Hepes, pH 7,5, 70 mM NaCl, 32 mM NaOAc, 0,035% Natriumazid und 30% Glyzerin.


Aliquotieren ist nicht notwendig bei -20°C lagerung

\*\*\* 20ul-Größen enthalten 0.1% BSA

## Ausgewählte Validierungsdaten



SARS-CoV-2 Spike Antibody (AM004414) tested by Western blot.Lysates from HEK293 cells transfected (Lane 1 and 3) or untransfected (Lane 2) was probed with 0.5ug/ml of rAb (Lane 1 & 2) or an anti-flag Ab (Lane 3).Lane 1: transfected flag-tagged SARS-CoV-2 S1 subunitLane 2 untransfectedLane 3: transfected flag-tagged SARS-CoV-2 S1 subunit. Data provided by Active Motif(R).



SARS-CoV-2 Spike Antibody (clone AM004414) tested by ELISA.SARS-CoV-2 Spike RBD protein was coated onto microtiter plates at 0.5 µg/mL and then incubated with a dilution series of SARS-CoV-2 Spike Antibody (clone AM009105). Bound antibodies were detected with anti-human IgG conjugated to horseradish peroxidase (HRP) followed by incubation with HRP Substrate and then measuring the resulting absorbance at 450 nm. Data provided by Active Motif®. .